EXHIBIT B-1.3

COPIER/MFD SPECIFIC DEVICE FUNCTIONALITIES

A. COPIER/MFD DEVICE FUNCTIONALITY RICOH – BLACK & WHITE

#	Segment	1	2	3	4	5	6
	Device Model	Ricoh IM370F	Ricoh IM2500	Ricoh IM3500	Ricoh IM5000	Ricoh IM8000	Ricoh IM9000
1	NEMA plug configuration type	5-15r	5-15r	5-15r	5-15r	5-20r	6-20r
2	Brand and model of included power surge protector (line conditioner)						
3	Power consumption (running)	567 W	< 1.6 Kw	< 1.6 Kw	< 1.6 Kw	< 2 Kw	< 2 Kw
4	Power consumption (idle)	0.8 W	.5w	.5w	.5w	1.1w	1.1w
5	Power consumption (off)	0	0	0	0	0	0
6	Energy reduction Features	yes	yes	yes	yes	Yes	yes
7	Does the model offer full-bleed letter and ledger –size printing?	no	no	no	no	no	no

8	Reduction in printing speed vs. rated copy per-minute speed (percentage basis) Material Safety Data Sheet (MSDS) included in RMC	no	no	no	no	no	no
	provided literature						
10	Advance notice provided by the Copier/MFD before running out of toner	yes	yes	yes	yes	yes	yes
11	Primary functions (i.e., copying, printing, faxing [as applicable] and scanning) that are able to be performed simultaneously	yes	yes	yes	yes	yes	yes
12	Print/copy jobs are not stored on the Copier/MFD's hard drive after printing	Enable DOSS	Enable DOSS				
13	Page Description Language (PDL) compatibilities, including version numbers, are included	yes	yes	yes	yes	yes	yes

	in CONTRACTOR's						
	pricing.						
	COUNTY's network						
	and server						
	operating operating operations of the control of the control operations of the control operation						
	system						
14	compatibilities,						
	including version						
	numbers, are						
	included						
	in CONTRACTOR's						
	pricing						
	Which walk-up	All	All	All	All	All	All
	copying, faxing or						
	scanning features, if						
	any, are not						
15	available						
	to workstation users						
	via the unit's print,						
	fax						
	and scan drivers?						
	The maximum	999	999 seconds				
	Copier/MFD	seconds					
16	timeout period for						
	walk-up users.						
	The Copier/MFDs	yes	yes	yes	yes	yes	yes
	can be configured to						
17	securely hold all						
	print jobs at the						
	device until						

						1	
	released using a						
	userassigned						
	password number						
	(Secure Printing)						
	The Copier/MFD	yes	yes	yes	yes	yes	yes
	print driver can be						
18	defaulted to require						
	the use of the						
	Secure Print						
	function						
	Amount of included	2GB	2GB	2GB	2GB	2GB	2GB
	RAM memory						
19	dedicated for the						
	copier, fax (as						
	applicable), scanner						
	and printer unctions						
	The maximum	one	3 max as opt.				
	number of fax lines						
20	that each installed						
	Copier/MFD can						
	accommodate						
	Each of the installed	Yes	Yes	Yes	Yes	Yes	Yes
	model is set from				1.03	. 65	
	the factory to						
21	default to copier						
21	functionality as						
	the priority						
	document imaging						
	mode						
	moue						

22	Each color-capable Copier/MFD will be set from the factory to default to monochrome functionality as the priority document imaging mode for both walk-up copy, scanning and print- driver users						
23	Monochrome-only print drivers can be made available for users of the color-capable Copier/MFDs. Although this functionality is available, vendor will eliminate from the drivers and the Copier/MFD touch screen panels any mention of a Color-Only copying/printing mode.	Yes	Yes	Yes	Yes	Yes	Yes
24	Two-sided one-pass scanning (i.e., "simultaneous" or	Yes	Yes	Yes	Yes	Yes	Yes

	"perfect" scanning) capability included						
25	Stack-feed bypass tray capable of feeding multiple #10 envelopes	Yes	Yes	Yes	Yes	Yes	Yes
26	The model can print out the internal user/departmental tracking data	yes	Yes	Yes	Yes	Yes	Yes
27	The internal user/departmental tracking data can be transmitted electronically via an included copy/print tracking and billing solution to the CONTRACTOR	Yes	Yes	Yes	Yes	Yes	Yes
28	Printing can be controlled and tracked via the copy/print tracking and billing solution provided by the CONTRACTOR	Yes	Yes	Yes	Yes	Yes	Yes
29	Copy tracking data can be listed separately from print tracking data for each user or	Yes	Yes	Yes	Yes	Yes	Yes

	department being tracked by the copy/print tracking and billing solution						
30	The internal tracking codes can be submitted electronically to the copy/print tracking and billing solution on a prescribed day each month	Yes	Yes	Yes	Yes	Yes	Yes
31	User identification codes can be set up globally for all devices and/or on individual devices from a remote location	Yes	Yes	Yes	Yes	Yes	Yes
32	A brief description of the most efficient method of installing device print, fax and scan driver software for each model on COUNTY workstations	Executable file can be used to auto install drivers	Executable file can be used to auto install drivers	Executable file can be used to auto install drivers	Executable file can be used to auto install drivers	Executable file can be used to auto install drivers	Executable file can be used to auto install drivers
33	Banner sheets can be automatically programmed to be	yes	yes	yes	yes	yes	yes

	pulled from a different (color) paper source than for the print job itself						
34	Banner sheets between print jobs can be programmed with the network user's name and/or other identifier so jobs from multiple distant users can more easily be located in high- volume environments	yes	yes	yes	yes	yes	yes
35	The Copier/MFD model offers embedded Bates Stamping capabilities Printing/scanning	Yes	yes	yes	yes	yes	yes
36	to/from a USB thumb/flash drive is included on each of the models						
37	The scanning system for each Copier/MFD is	yes	yes	yes	yes	yes	yes

	r						
	configured to						
	support common						
	network user						
	authorization,						
	authentication						
	schemes and						
	common directory						
	protocols such as						
	LDAP and native						
	active directory.						
	The processes are						
	the same as those						
	required by the						
	users' network login						
	e.g., user name and						
	password						
	A user's name can	yes	yes	yes	yes	yes	yes
	be added to the						
38	"From" field for						
	further verification						
	of the sender						
	Each Copier/MFD	yes	yes	yes	yes	yes	yes
	need to be	,			•		-
	programmed						
39	manually						
	(remotely or						
	otherwise)						
	to incorporate each						
	authorized user's						
	email addresses						
				•	1	1	

	Each Copier/MFD	yes	yes	yes	yes	yes	yes
	allows scanned	, , , ,	,	,	,	,	,
40	documents to be						
	encrypted for						
	security purposes.						
	Users can choose a	yes	yes	yes	yes	yes	yes
	scan file format	,	,	,	,		,
	available (e.g. PDF,						
41	TIFF, and JPEG) at						
	the device based on						
	an application and						
	preference.						
	Users wishing to	yes	yes	yes	yes	yes	yes
	utilize the included						
42	scan-to-email						
	function are						
	authenticated						
	The device can	optional	optional	optional	optional	optional	optional
	create text-						
	searchable PDF						
	files from scanned						
	originals providing						
	greater access to						
43	documents archived						
	in shared files,						
	folders, or future						
	Electronic						
	Document						
	Management						
	Systems (EDMS)						

	applications that the COUNTY may implement						
44	Multiple pages can be scanned and either emailed or stored without having to go back-and-forth between the device and the PC workstation between each page	yes	yes	yes	yes	yes	yes
45	The scanning solution includes OCR software with advanced desktop layout analysis for editing, archiving and sharing	Option	Option	Option	Option	Option	Option
46	Walk-up Copier/MFD users have access to a full-size integrated QWERTY keyboard	Option	Option	Option	Option	Option	Option
47	Users can search for available network folders on the	Requires setup	Requires setup	Requires setup	Requires setup	Requires setup	Requires setup

48	Copier/MFD screen to determine where to send scanned documents Color scanning capability is included on any of the monochrome models	Requires setup	Requires setup	Requires setup	Requires setup	Requires setup	Requires setup
49	The scanning system can support common network user authorization, authentication schemes and common directory protocols such as LDAP. The processes are the same as those required by the users' network login e.g., user name and password A user's name can be added to the "From" field for further verification of the sender	yes	yes	yes	yes	yes	yes
50	The device allows scanned documents to be encrypted for	yes	yes	yes	yes	yes	yes

	security purposes						
51	The device allows for scanning to Electronic Document Management Systems (EDMS) or Enterprise Content Management (ECM)	It depends					
52	Users can scan to a Windows share location or to FTP (Internet transfer) on each Copier/MFD	yes	yes	yes	yes	yes	yes
53	The device can scan images into WYSIWIG web-based HTML files	no	no	no	no	no	no
54	The device allows a user to attach Document Management Fields (e.g. date, name, file number) to the document file for filing/retrieval and unique identification (sometimes referred to as metadata); the	Requires additional software	Requires additional software	Requires additional software	Requires additional software	Requires additional software	Requires additional software

	metadata or						
	indexing data can be						
	automatically						
	included in the						
	scanning template						
	workflow						
	The maximum						
55	resolution of the						
	scanned image						
	Automatic de-	no	no	no	no	no	no
56	speckling and de-						
	skewing of the						
	scanned image						
57	The color depth of						
	the scanned image						
	The ability to scan	yes	yes	yes	yes	yes	yes
58	to shared network						
	folder						
59	The ability to scan	yes	yes	yes	yes	yes	yes
	to an email address						
	Email notifications	yes	yes	yes	yes	yes	yes
	will be sent						
	automatically						
	to the designated						
	facility key operator						
60	when units are out						
	of paper, out of						
	toner or otherwise						
	require key						
	operator attention						
	,						
	I .	1	1	I.	l .	l.	l

61	The finisher for each Copier/MFD is	Yes	Yes	Yes	Yes	External	External
	internal or external						
	to the device						
	A brief description	User	User defined				
	of how prints, faxes	defined					
	(as applicable) and						
62	copies will be						
	separated on the						
	finisher and/or exit						
	trays of each						
	Copier/MFD model						
	The finisher support	Yes	Yes	Yes	Yes	Yes	Yes
	2-hole punching in						
63	addition to 3-hole						
	punching (Segment						
	4a, 4b, 5 and 6 units						
	only)						
64	The finisher offer	no	no	no	no	no	no
	subset stapling						
	The item numbers						
	and brand names						
65	for mailing labels						
	and transparencies						
	that are compatible						
	with units						
	The units are able to	yes	yes	yes	yes	yes	yes
	run the						
66	transparency						
	film and mailing						
	labels from all paper						

	sources (drawers						
	•						
	plus bypass),						
	or if the paper						
	sources are						
	restricted when						
	running this stock,						
	The name and	PCL6 for	PCL6 for	PCL6 for	PCL6 for	PCL6 for	PCL6 for
	version level of the	universal	universal print	universal print	universal	universal	universal
	print, fax and scan	print v4.5	v4.5	v4.5	print v4.5	print v4.5	print v4.5
	driver utilities						
	(as applicable) that						
67	will be provided to						
	all workstation						
	users to enable						
	functional						
	connectivity to each						
	model in each						
	Equipment Segment						
	The name and						
	version level of the						
	device management						
	utilities that is						
	provided to each						
	of the County						
68	Department's						
	Information						
	Technology (IT) staff						
	members to						
	monitor and control						
	each model in each						
	Equipment Segment						

		———			
	The components or				
	parts are considered				
	user-replaceable for				
	<mark>each model.</mark>				
	Further, the				
	<mark>approximate</mark>				
	aggregate time				
69	involvement to				
	replace these				
	components or				
	parts per unit per				
	<mark>month</mark>				
	Email notifications				
	will be sent				
	automatically				
	to the designated				
	COUNTY key				
	operator and the				
70	CONTRACTOR's				
	assigned technicians				
	via desktop or				
	mobile device when				
	each of the units are				
	out of paper, out of				
	toner or otherwise				
	require key				
	operator attention				
	The number of				
71	monochrome and				
	color impressions				

a user of production letter-septimed contain pages (Il be billed if were to e a 50-page size duplex I document ning five color pages 1, 10, and 50)			