



CONTRA COSTA COUNTY

AGENDA - PUBLISHED

Alamo Municipal Advisory Council

Tuesday, July 8, 2025

5:30 PM

**Hap Magee Park, The Cottage - 1025 La
Gonda Way, Danville**

Special Meeting

Agenda Items: Items may be taken out of order based on the business of the day and preference of the Committee

1. Roll Call and Introductions
2. Public comment on any item under the jurisdiction of the Committee and not on this agenda (speakers may be limited to two minutes).
3. CDVR25-01028 - 101 Linhares, Alamo [25-2626](#)
Attachments: [CDVR25-01028 Agency Comment Request](#)
4. CDVR25-01027 - 2537 Cerro Vista Lane, Alamo [25-2627](#)
Attachments: [Agency Comment - CDVR25-01027](#)
[Holce Garage Ver2](#)
5. The next meeting is currently scheduled for August 5, 2025 at the Alamo Women's Club.
6. Adjourn
7. The Committee will provide reasonable accommodations for persons with disabilities planning to attend the Committee meetings. Contact the staff person listed below at least 72 hours before the meeting. Any disclosable public records related to an open session item on a regular meeting agenda and distributed by the County to a majority of members of the Committee less than 96 hours prior to that meeting are available for public inspection at 309 Diablo Road, Danville, during normal business hours. Staff reports related to items on the agenda are also accessible online at www.contracosta.ca.gov.
8. For Additional Information Contact: Cameron Collins at Cameron.Collins@bos.cccounty.us.



CONTRA COSTA COUNTY

1025 ESCOBAR STREET
MARTINEZ, CA 94553

Staff Report

File #: 25-2626

Agenda Date: 7/8/2025

Agenda #: 3.

Advisory Board: Alamo Municipal Advisory Council

Subject: CDVR25-01028 - 101 Linhares, Alamo

Planner: Grant Farrington - Grant.Farrington@dcd.cccounty.us <<mailto:Grant.Farrington@dcd.cccounty.us>>

Information:

The applicant requests approval of a Variance to allow a primary front setback of 17'-8 1/2", where 25 feet is the minimum required, for the enclosure of an existing covered entry porch located within the primary setback, to create a 44-square-foot living space addition to the existing single-family residence. The scope of work also includes living space additions to other parts of the existing residence, interior remodel, and a new freestanding covered pavilion that meets setback, side yard, and height requirements.



AGENCY COMMENT REQUEST

Date 05/05/2025

We request your comments regarding the attached application currently under review.

<u>DISTRIBUTION</u>	
<u>INTERNAL</u>	
<input checked="" type="checkbox"/> Building Inspection	Grading Inspection
Advance Planning	Housing Programs
Trans. Planning	Telecom Planner
ALUC Staff	HCP/NCCP Staff
County Geologist	
<u>HEALTH SERVICES DEPARTMENT</u>	
<input checked="" type="checkbox"/> Environmental Health	Hazardous Materials
<u>PUBLIC WORKS DEPARTMENT</u>	
Engineering Services	Special Districts
Traffic	
Flood Control (Full-size)	
<u>LOCAL</u>	
<input checked="" type="checkbox"/> Fire District _____	
<input checked="" type="checkbox"/> San Ramon Valley – (email) rwendel@srvfire.ca.gov	
Consolidated – (email) fire@cccfdpd.org	
<input checked="" type="checkbox"/> Sanitary District _____	Central Sanitary
<input checked="" type="checkbox"/> Water District _____	East Bay MUD
City of _____	
School District(s) _____	
LAFCO	
Reclamation District # _____	
East Bay Regional Park District	
Diablo/Discovery Bay/Crockett CSD	
<input checked="" type="checkbox"/> MAC/TAC _____	Alamo
<input checked="" type="checkbox"/> Improvement/Community Association	AIA
<input checked="" type="checkbox"/> CC Mosquito & Vector Control Dist (email)	
<u>OTHERS/NON-LOCAL</u>	
CHRIS (email only: nwic@sonoma.edu)	
CA Fish and Wildlife, Region 3 – Bay Delta	
Native American Tribes	
<u>ADDITIONAL RECIPIENTS</u>	

Please submit your comments to:

Project Planner Grant Farrington

Phone # 925-655-2868

E-mail grant.farrington@dcd.cccounty.us

County File # CDVR25-01028

Prior to June 4, 2025

We have found the following special programs apply to this application:

<input type="checkbox"/> Landslide	Active Fault Zone (A-P)
<input checked="" type="checkbox"/> Liquefaction	Flood Hazard Area
<input checked="" type="checkbox"/> 60-dBA Noise Control	
CA EPA Hazardous Waste Site	
High or Very High FHSZ	

AGENCIES: Please indicate the applicable code section for any recommendation required by law or ordinance. Please send copies of your response to the Applicant and Owner.

Comments: None Below Attached

Print Name _____

Signature _____ DATE _____

Agency phone # _____



CONTRA COSTA

CONSERVATION & DEVELOPMENT

Planning Application Summary

County File Number: CDVR25-01028

File Date: 5/1/2025

Applicant:

Jonathan James
William Wood Architects
301 Hartz Ave. Suite 203
Danville, CA 94526-3328

jonathan@williamwood.com
(925) 820-8233

Property Owner:

Gregory & Kimberly Varni
101 Linhares Lane
Alamo, CA 94507-1829

gvarni@gmail.com
(925) 980-6703

Project Description:

The applicant requests approval of a Variance to allow a primary front setback of 17'-8 1/2", where 25 feet is the minimum required, for the enclosure of an existing covered entry porch located within the primary setback, to create a 44-square-foot living space addition to the existing single-family residence. The scope of work also includes living space additions to other parts of the existing residence, interior remodel, and a new freestanding covered pavilion that meets setback, side yard, and height requirements.

Project Location: (Address: 101 LINHARES LN, ALAMO, CA 94507-1829), (APN: 198-062-030)

Additional APNs:

General Plan Designation(s): RL

Zoning District(s): R-20

Flood Hazard Areas: X

AP Fault Zone: NO

60-dBA Noise Control: YES

SHZ Liquefaction: YES

Sphere of Influence: NO

MAC/TAC: Alamo MAC

Sanitary District: CENTRAL SANITARY

Fire District: SAN RAMON VLY FIRE


Specific Plan: NO

Housing Inventory Site: NO

Fees:

Fee Item	Description	Account Code	Total Fee	Paid
052B	Notification Fee (\$30)	002606-9660-REV-000-5B052B	30.00	30.00
HSDR	Environmental Health Fee (\$57)	002606-9660-REV-000-5BHSDR \$5.00	57.00	57.00
VRS0044	Zone Variance - DCD	002606-9660-REV-000-5B0044	3250.00	3250.00
Total:			3337.00	3337.00

General Plan: Residential Low Density | RL




Map Legend

- Assessment Parcels
- General Plan
 - RVL (Residential Very-Low Density) (≤ 1 du/na)
 - RL (Residential Low Density) (1-3 du/na)
 - RM (Residential Medium Density) (7-17 du/na)
 - RMH (Residential Medium-High Density) (17-30 du/na)
 - MUM (Mixed-Use Medium) (30-75 du/na) (2.0 FAR)
 - MUC (Mixed-Use)
 - Community-Specific (Variable)
 - PS (Public and Semi-Public)
 - PR (Park and Recreation)
 - RC (Resource Conservation)

This map is a user generated, static output from an internet mapping application and is intended for reference use only.
Data layers that appear on this map may or may not be accurate, current, or otherwise reliable.
THIS MAP IS NOT TO BE USED FOR NAVIGATION.
CCMap is maintained by Contra Costa County Department of Information Technology, County GIS.
Data layers contained within the CCMap application are provided by various Contra Costa County Departments.
Please direct all data inquiries to the appropriate department.
Spatial Reference
PCS: WGS 1984 Web Mercator Auxiliary Sphere
Datum: WGS 1984

Zoning: R-20 Single-Family Residential District



Map Legend

Assessment
Parcels


Zoning
ZONE_OVER

- R-20 (Single Family Residential)
- R-40 (Single Family Residential)
- R-65 (Single Family Residential)
- R-100 (Single Family Residential)
- M-12 (Multiple Family Residential)
- M-17 (Multiple Family Residential)
- A-2 (General Agriculture)
- O-1 (Limited Office)
- N-B -S-2 (Sign Control Combining District)
- R-B -CE -S-2 (Cannabis Exclusion and Sign Control)
- P-1 (Planned Unit)
- HE-C (Housing Element Consistency)
- HE-C -CE (Cannabis Exclusion Combining District)

This map is a user generated, static output from an internet mapping application and is intended for reference use only.
Data layers that appear on this map may or may not be accurate, current, or otherwise reliable.
THIS MAP IS NOT TO BE USED FOR NAVIGATION.
CCMap is maintained by Contra Costa County Department of Information Technology, County GIS.
Data layers contained within the CCMap application are provided by various Contra Costa County Departments.
Please direct all data inquiries to the appropriate department.

Spatial Reference
PCS: WGS 1984 Web Mercator Auxiliary Sphere
Datum: WGS 1984

Aerial View



Map Legend

- Assessment Parcels
- Address Points

RECEIVED on 05/01/2025 CDVR25-01028
By Contra Costa County
Department of Conservation and Development

VARNI RENOVATION

APPLICABLE CODES

2022 CALIFORNIA BUILDING CODE
2022 CALIFORNIA RESIDENTIAL CODE
2022 CALIFORNIA GREEN BUILDING STANDARDS CODE
2022 CALIFORNIA MECHANICAL CODE
2022 CALIFORNIA ELECTRICAL CODE
2022 CALIFORNIA PLUMBING CODE
2022 CALIFORNIA FIRE CODE
2022 CALIFORNIA ENERGY CODE
CONTRA COSTA COUNTY MUNICIPAL CODE

SCOPE OF WORK

- NEW 831 SQUARE FOOT ADDITION.
- INTERIOR REMODEL.
- NEW FREESTANDING COVERED VERANDA.

PROJECT DIR.

OWNER
GREGORY & KIM VARNI
101 LINHARES LANE
ALAMO, CA 94507
(925) 980-6703
CONTACT: GREGORY VARNI

ARCHITECT
WILLIAM WOOD ARCHITECTS
301 HARTZ AVENUE, STE. 203
DANVILLE, CA 94526
(925) 820-8233
CONTACT: BILL WOOD

CIVIL ENGINEER
DEBOLT CIVIL ENGINEERING
480 SAN RAMON VALLEY BLVD UNIT L
DANVILLE, CA. 94526
(925) 837-3780

BUILDING DATA

LEGAL OWNER:

GREGORY & KIM VARNI
101 LINHARES LANE
ALAMO, CA 94507

PROJECT ADDRESS:

101 LINHARES LANE
ALAMO, CA 94507

APN & ZONING:

APN: 198-062-030
ZONED: R-20

FLOOR AREA:

(E) FLOOR AREA	2,229	S.F.
(N) ADDITION	845	S.F.
TOTAL FLOOR AREA	3,074	S.F.

(E) DETACHED GARAGE	609	S.F.
---------------------	-----	------


SETBACKS:

PRIMARY FRONT	25'-0" MIN.
SECONDARY FRONT	20'-0" MIN.
SIDE	15'-0" MIN. 35'-0" AGG.

FIRE SPRINKLER SYSTEM:

REQUIRED


VICINITY MAP



INDEX TO DRAWINGS

CASH ALLOWANCES FOR VARNI ADDITION		
1. SUMMARY	CS1	COVER SHEET
A. To provide adequate budget and bonding to cover items not precisely determined by the Owner prior to bidding, allow within the proposed Contract Sum the amounts described in this Section.	A1	SITE PLAN
2. SPECIFIC CASH ALLOWANCES (MATERIAL ONLY UNLESS OTHERWISE NOTED)	A2	FLOOR PLAN
A. Tile floors	A3	ROOF PLAN
Master Bath & Powder Room- Marble \$ 9.00/S.F.	A4	REFLECTED CEILING PLAN
Guest/Kids Bath - Ceramic Tile \$ 5.00/S.F.	A5	BUILDING SECTIONS
Limestone @ Entry Porch &Verandas \$ 5.00/S.F.	A6	INTERIOR ELEVATIONS
Showers	A7	PROPOSED & EXISTING ELEVATIONS
Master Bath - Limestone or Marble \$ 9.00/S.F.	A8	PROPOSED & EXISTING ELEVATIONS
Guest/Kids Bath - Ceramic Tile \$ 5.00/S.F.	A9	PROPOSED & EXISTING ELEVATIONS
Guest/Kids both counters - Ceramic Tile \$ 5.00/S.F.	A10	PROPOSED & EXISTING ELEVATIONS
B. Stone Slabs	A11	ELECTRICAL & MECHANICAL PLAN
Master Bath and Powder Room - Counters (vanity)	A12	EXISTING FLOOR PLAN
Quartz (Material only) \$1,000.00/Slab		
Kitchen Island, countertops, & backsplash (6") - Granite or Stone		
(Material only) \$1,500.00/Slab		
C. Wood Flooring (installation included) \$12.00/S.F.		
D. Front Entry Door \$2,000.00		
Interior Doors \$350.00 ea.		
E. Finish Hardware \$4,200.00		
F. Plumbing Fixtures and Hardware \$6,500.00		
G. Toilet & Bath Accessories \$1,200.00		
H. Mirrors \$1,500.00		
I. Light Fixtures (Including exterior) \$2,500.00		
J. Appliances (Includes kitchen sinks) \$20,000.00		
K. Range Hood..... \$1,500.00		
L. Millwork - Material & Labor \$5,000.00		
Notes:		
1. Kitchen cabinets to be verified with Owner (see drawings for extent).		
2. Laundry and Baths cabinets to be verified with Owner.		
3. Miscellaneous cabinetry to be verified with owner.		

REVISIONS	DATE
△	
△	
△	
△	
△	
△	
△	
△	



VARNI RENOVATION

101 LINHARES LANE
ALAMO, CA 94507

WILLIAM WOOD
ARCHITECTS

301 HARTZ AVENUE, SUITE 203
DANVILLE, CALIFORNIA 94526
(925) 820-8233

THIS IS AN ORIGINAL, UNPUBLISHED WORK, AND MAY NOT BE DUPLICATED, PUBLISHED, OR OTHERWISE USED WITHOUT WRITTEN CONSENT OF WILLIAM WOOD ARCHITECTS.
COPYRIGHT © WILLIAM WOOD ARCHITECTS, 2025

DRAWN

FM

CHECKED

WW

DATE

4-16-25

SCALE

AS SHOWN

JOB NO.


24.2077A

SHEET

CS1

OF SHEETS

REVISIONS	DATE



VARNI RENOVATION

101 LINHARES LANE
ALAMO, CA 94507

WILLIAM WOOD ARCHITECTS
301 HARTZ AVENUE, SUITE 203
DANVILLE, CALIFORNIA 94526
(925) 820-8233


THIS IS AN ORIGINAL, UNPUBLISHED WORK, AND MAY NOT BE DUPLICATED, PUBLISHED, OR OTHERWISE USED WITHOUT WRITTEN CONSENT OF WILLIAM WOOD ARCHITECTS.
COPYRIGHT © WILLIAM WOOD ARCHITECTS, 2025

PLOT DATE: Apr. 16, 2025 - 10:40am AI Site Plan.dwg

DRAWN
FM
CHECKED
WW
DATE
4-16-25
SCALE
AS SHOWN
JOB NO.
24.2077A
SHEET

A1

OF SHEETS



SITE PLAN

SCALE: 1/8" = 1'-0"




NOTES:

- 1) STAIRS: SEE STAIRS FOR HT., ALL TREAD WIDTHS 10" EA., TYP. UNO, Y.I.F.
- 2) WINDOWS MARKED W/ (T) SHALL BE TEMPERED SAFETY GLASS
- 3) ALL WINDOW HEAD HTS. SHALL BE 7'-0" TYP., UNO.
- 4) ALL WINDOWS MARKED "EGRESS" SHALL MEET MIN. EMERGENCY EGRESS WINDOW STANDARDS OF MIN. NET CLEAR OPENING OF 5.7 SQ. FT. & MIN. NET CLEAR HEIGHT OF 24" & MIN. NET CLEAR WIDTH OF 20" CONTRACTOR SHALL VERIFY W/ WINDOW MANUFACTURE.
- 5) THERE MUST BE AT LEAST 15" INCHES BETWEEN THE CENTER OF PLUMBING FIXTURES SUCH AS WATER CLOSETS OR SINKS AND THE NEAREST WALL OR OBJECT.
- 6) CONTRACTOR TO PROVIDE THERMOSTATIC MIXING VALVE CONTROLS FOR ALL TUB/SHOWER ENCLOSURES.
- 7) CONTRACTOR SHALL VERIFY LOCATION & NUMBER OF A/C UNITS W/ OWNER PROVIDE 4" CONC. SLAB W/ #10 W.W.M. ALL NECESSARY PLUMBING & ELECTRICAL.
- 8) SMALL GUARDRAILS TO BE 42" HIGH, W/ INTERMEDIATE SPACES SUCH THAT A SPHERE 4" IN DIA. CAN NOT PASS THROUGH, TYP.
- 9) HANDRAIL IS REQUIRED PER SECT. 504 WHEN DROP EXCEEDS 30".
- 10) HANDRAIL SHALL BE CAPABLE OF SUPPORTING LATERAL LOAD PER TABLE 16-B, FN #8 (20#/LF LATERAL LOAD AT THE TOP RAIL) AND FN #4 (25#/SF LATERAL LOAD AT THE INTERMEDIATE PICKETS, AND 200# APPLIED AT ANY POINT IN ANY DIRECTION ON THE TOP RAIL).
- 11) MINIMUM OF 36-INCH DEEP LANDING IS REQUIRED IN DIRECTION OF TRAVEL. MAXIMUM RISE OF STEP IS 7.75-INCH.
- 12) APPROVED SPARK ARRESTORS SHALL BE INSTALLED ON EACH CHIMNEY/FLUE/VENT USED FOR FIREPLACES AND HEATING APPLIANCES IN WHICH SOLID OR LIQUID FUEL IS USED.
- 13) SEE ELECTRICAL/MECHANICAL PLAN FOR HOSE BIBB LOCATIONS.
- 14) SEE REFLECTED CEILING PLAN FOR CEILING CONDITIONS.
- 15) ADDRESS NUMBERS OR ADDRESSES SHALL BE PLACED ON ALL NEW AND EXISTING BUILDINGS IN SUCH A POSITION AS TO BE PLAINLY VISIBLE AND LEGIBLE FROM THE STREET OR ROAD FRONTING THE PROPERTY. SAID NUMBERS SHALL CONTRAST WITH THEIR BACKGROUND.
- 16) SPECIFY PERIMETER BLOCKING BETWEEN THE CEILINGS JOISTS FOR SOLID BACKING FOR THE ATTACHMENT OF THE SHEETROCK TO THE GARAGE CEILING. IN LIEU OF THE BLOCKING, ONE MAY USE A CONTINUOUS STRIP OF 16" GAGE SHEET METAL THAT IS "L" SHAPED WITH A MINIMUM DIMENSION OF 2.5"x2.5", SECURED TO THE CEILING FRAMING WITH 2-8d'S AND ONE 8d TO THE TOP PLATELINE. THIS RUNS PERPENDICULAR TO THE JOIST DIRECTION. THE SHEETROCK IS THEN SCREW ATTACHED AT THE 6" O/C (TO THE METAL) SPECIFY 3/8" TYPE "X" GYPBOARD ON CEILINGS AND SUPPORTING MEMBERS (E.G., BEAMS, COLUMNS AND BEARING WALLS) WHERE LIVING AREAS ARE ABOVE.
- 17) ANY PENETRATION OF THE WALL COMMON TO THE HOUSE & GARAGE SHALL BE MADE WITH MINIMUM 26 GAGE METAL AND INSULATED TO AT LEAST R4.2
- 18) FIRE BLOCKING IS REQUIRED IN CONCEALED SPACES AT BOTH THE TOP AND BOTTOM OF STAIR STRINGERS AND ALONG THE STRINGERS IN BETWEEN THE STUD WITHIN THE WALLS WHETHER FINISHED OR UNFINISHED. THIS FOR BOTH FIRESTOPPING AND THE ATTACHMENT OF THE EDGE NAILING ATTACHMENT FOR THE ONE-HOUR CONSTRUCTION 5/8-INCH TYPE "X" GYPBOARD AT WALLS AND SOFFIT OF ENCLOSED USABLE SPACE UNDER STAIRS.
- 19) ALL AIR DUCTS PENETRATING SEPARATION WALL OR CEILING BETWEEN GARAGE AND LIVING AREA AS WELL AS THE MIXING BOXES, FLENUMS, ETC., SHALL BE 26 GA. MINIMUM AND INSULATED TO AT LEAST R4.2.
- 20) PROVIDE MINIMUM 26 GA. GALVANIZED KEEL SCREED AT FOUNDATION PLATE LINE AT LEAST 4" ABOVE GRADE (OR 2 INCHES ABOVE CONCRETE OR PAVING).
- 21) GLAZING IN DOORS AND IN TUB/SHOWER ENCLOSURES TO BE TEMPERED.
- 22) ANNULAR SPACES AROUND PIPES, ELECTRIC CABLES, CONDUITS, OR OTHER OPENINGS IN PLATES AT EXTERIOR WALLS SHALL BE PROTECTED AGAINST THE PASSAGE OR RODENTS BY CLOSING SUCH OPENINGS WITH CEMENT MORTAR, CONCRETE MASONRY OR SIMILAR METHOD ACCEPTABLE TO THE ENFORCING AGENCY.
- 23) ALL GAS BURNING APPLIANCES INCLUDING FURNACE, WATER HEATER FIRE PLACES SHALL BE LISTED AND APPROVED BY A RECOGNIZED LISTING AGENCY.


✱ EGRESS WINDOW DETAIL

EGRESS WINDOWS SHALL COMPLY W/ ALL 4 CONDITIONS ILLUSTRATED BELOW.



ESCAPE OR RESCUE WINDOWS SHALL HAVE A MINIMUM NET CLEAR OPENABLE AREA OF 5.7 SQ.FT. (0.53 M.). THE MINIMUM NET CLEAR OPENABLE HEIGHT DIMENSION SHALL BE 24 INCHES (609.6 MM). THE MINIMUM NET CLEAR OPENABLE WIDTH DIMENSION SHALL BE 20 INCHES (508 MM). WHEN WINDOWS ARE PROVIDED AS A MEANS OF ESCAPE OR RESCUE, THEY SHALL HAVE A FINISHED SILL HEIGHT NOT MORE THAN 44 INCHES (1118 MM) ABOVE THE FLOOR. CBC SECTION 310.4


CONTRACTOR NOTE: CONTRACTOR SHALL BE RESPONSIBLE FOR COMPLIANCE WITH ALL EGRESS REQUIREMENTS.



PROPOSED FLOOR PLAN

SCALE: 1/4" = 1'-0"

REVISIONS	DATE



VARNI RENOVATION
101 LINHARES LANE
ALAMO, CA 94507

WILLIAM WOOD ARCHITECTS
301 HARTZ AVENUE, SUITE 203
DANVILLE, CALIFORNIA 94526
(925) 820-8233


THIS IS AN ORIGINAL, UNPUBLISHED WORK, AND MAY NOT BE DUPLICATED, PUBLISHED, OR OTHERWISE USED WITHOUT WRITTEN CONSENT OF WILLIAM WOOD ARCHITECTS.

COPYRIGHT © WILLIAM WOOD ARCHITECTS, 2025

DRAWN FM
CHECKED WW
DATE 4-16-25
SCALE AS SHOWN
JOB NO. 24.2077A
SHEET A2
OF SHEETS

PLOT DATE: Apr. 16, 2025 - 10:34am A2 Floor Plan.dgn

REVISIONS	DATE



VARNI RENOVATION

101 LINHARES LANE
ALAMO, CA 94507

WILLIAM WOOD
ARCHITECTS

301 HARTZ AVENUE, SUITE 203
DANVILLE, CALIFORNIA 94526
(925) 820-8233



THIS IS AN ORIGINAL, UNPUBLISHED
WORK, AND MAY NOT BE DUPLICATED,
PUBLISHED, OR OTHERWISE USED
WITHOUT WRITTEN CONSENT OF
WILLIAM WOOD ARCHITECTS.
COPYRIGHT © WILLIAM WOOD ARCHITECTS, 2025

PLOT DATE: Apr. 16, 2025 - 10:41am A3 Roof Plans.dwg

DRAWN
FM
CHECKED
WW
DATE
4-16-25
SCALE
AS SHOWN
JOB NO.
24.2077A
SHEET

A3

OF SHEETS



TYPICAL EAVE DETAIL 1/A3

SCALE: 1/4" = 1'-0"

ROOF VENTILATION CALCULATIONS

AREA 1
* ATTIC AREA: 1,469 S.F.
* REQUIRED AREA: 1,048 SQ. IN.
(CONVERTED TO INCHES @ 1/300)
* UPPER AREA: 524 SQ. IN.
(50% REQUIRED IN UPPER 1/3)
* PROVIDE 524 SQ.IN. IN UPPER 1/3 OFF ROOF WITH O'HAGIN'S "FLAT" VENT (48.75 SQ. IN. FREE AREA)
* 6 VENTS REQUIRED
* LOWER AREA: 524 SQ. IN.
(50% REQUIRED IN LOWER 1/3)
* TO BE PROVIDED BY 15 VENTED FRIEZE BLOCKS MIN.
(7 SQ. IN. FREE VENTING PER BLOCK VIA 3-2" DIA. HOLES)

ROOF NOTES:

- 1) ROOF SLOPE = 4:12, U.N.O.
- 2) FINAL LOCATION OF VENTS BY CONTRACTOR.
- 3) ROOF MATERIAL SEE EXTERIOR ELEVATIONS.
- 4) COLLECT ALL NEW DOWNSPOUTS AND CONNECT TO AN EXISTING APPROVED DRAINAGE SYSTEM.
- 5) PROVIDE TPO WATERPROOFING/UNDERLAYMENT AT LOW PITCH ROOFS.

LEGEND:

(N) ROOF
(N) ROOF CALIFORNIA FRAMED OVER (E) ROOF

SCALE: 1/4" = 1'-0"




ROOF PLAN

101 LINHARES LANE
ALAMO, CA 94507

301 HARTZ AVENUE, SUITE 203
DANVILLE, CALIFORNIA 94526
(925) 820-8233






BUILDING SECTION - A/A5

SCALE: 1/4" = 1'-0"

REVISIONS	DATE



VARNI RENOVATION

101 LINHARES LANE
ALAMO, CA 94507

WILLIAM WOOD
ARCHITECTS

301 HARTZ AVENUE, SUITE 203
DANVILLE, CALIFORNIA 94526
(925) 820-8233

THIS IS AN ORIGINAL, UNPUBLISHED WORK, AND MAY NOT BE DUPLICATED, PUBLISHED, OR OTHERWISE USED WITHOUT WRITTEN CONSENT OF WILLIAM WOOD ARCHITECTS.
COPYRIGHT © WILLIAM WOOD ARCHITECTS, 2025

DRAWN
FM

CHECKED
WW

DATE
4-16-25


SCALE
AS SHOWN

JOB NO.
24.2077A


SHEET
A5

OF SHEETS


PLOT DATE: Apr 16, 2025 - 10:48am A5 BUILDING SECTIONS.dwg




ELEVATION A




ELEVATION B




ELEVATION A




ELEVATION B



ELEVATION C



ELEVATION D



ELEVATION A

KITCHEN


SCALE: 1/4" = 1'-0"

ISLAND


SCALE: 1/4" = 1'-0"

MUD


SCALE: 1/4" = 1'-0"




ELEVATION A




ELEVATION B




ELEVATION C



ELEVATION D



ELEVATION A




ELEVATION B

MASTER BATH


SCALE: 1/4" = 1'-0"

POWDER


SCALE: 1/4" = 1'-0"




ELEVATION A




ELEVATION B




ELEVATION A




ELEVATION B



ELEVATION A



ELEVATION B




ELEVATION C

JACK & JILL BATH


SCALE: 1/4" = 1'-0"

POOL BATH #3


SCALE: 1/4" = 1'-0"




ELEVATION A



ELEVATION B




ELEVATION C




ELEVATION D

LAUNDRY


SCALE: 1/4" = 1'-0"



ELEVATION A



ELEVATION B




ELEVATION C

PANTRY

SCALE: 1/4" = 1'-0"

REVISIONS	DATE




VARNI RENOVATION
101 LINHARES LANE
ALAMO, CA 94507

WILLIAM WOOD
ARCHITECTS
301 HARTZ AVENUE, SUITE 203
DANVILLE, CALIFORNIA 94526
(925) 820-8233


THIS IS AN ORIGINAL, UNPUBLISHED
WORK, AND MAY NOT BE DUPLICATED,
PUBLISHED, OR OTHERWISE USED
WITHOUT WRITTEN CONSENT OF
WILLIAM WOOD ARCHITECTS.
COPYRIGHT © WILLIAM WOOD ARCHITECTS, 2025

DRAWN FM
CHECKED WW
DATE 4-18-25
SCALE AS SHOWN
JOB NO. 24.2077A
SHEET A6
OF SHEETS



PROPOSED FRONT ELEVATION


SCALE: 1/4" = 1'-0"



EXISTING FRONT ELEVATION

SCALE: 1/4" = 1'-0"

REVISIONS	DATE
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	



VARNI RENOVATION
101 LINHARES LANE
ALAMO, CA 94507


WILLIAM WOOD
ARCHITECTS
301 HARTZ AVENUE, SUITE 203
DANVILLE, CALIFORNIA 94526
(925) 820-8233

THIS IS AN ORIGINAL, UNPUBLISHED
WORK, AND MAY NOT BE DUPLICATED,
PUBLISHED, OR OTHERWISE USED
WITHOUT WRITTEN CONSENT OF
WILLIAM WOOD ARCHITECTS.

COPYRIGHT © WILLIAM WOOD ARCHITECTS, 2025


DRAWN FM
CHECKED WW
DATE 4-16-25
SCALE AS SHOWN
JOB NO. 24.2077A
SHEET A7
OF SHEETS

PLOT DATE: Apr. 16, 2025 - 10:36am A5-T Elevations.dwg



PROPOSED REAR ELEVATION


SCALE: 1/4" = 1'-0"



EXISTING REAR ELEVATION

SCALE: 1/4" = 1'-0"

REVISIONS	DATE



VARNI RENOVATION


101 LINHARES LANE
ALAMO, CA 94507

WILLIAM WOOD
ARCHITECTS
301 HARTZ AVENUE, SUITE 203
DANVILLE, CALIFORNIA 94526
(925) 820-8233

THIS IS AN ORIGINAL, UNPUBLISHED
WORK, AND MAY NOT BE DUPLICATED,
PUBLISHED, OR OTHERWISE USED
WITHOUT WRITTEN CONSENT OF
WILLIAM WOOD ARCHITECTS.
COPYRIGHT © WILLIAM WOOD ARCHITECTS, 2025


DRAWN FM
CHECKED WW
DATE 4-16-25
SCALE AS SHOWN
JOB NO. 24.2077A
SHEET A8
OF SHEETS

PLOT DATE: Apr. 16, 2025 - 10:36am A5-T Elevations.dwg



PROPOSED RIGHT ELEVATION


SCALE: 1/4" = 1'-0"



EXISTING RIGHT ELEVATION

SCALE: 1/4" = 1'-0"

REVISIONS	DATE



VARNI RENOVATION


101 LINHARES LANE
ALAMO, CA 94507

WILLIAM WOOD
ARCHITECTS
301 HARTZ AVENUE, SUITE 203
DANVILLE, CALIFORNIA 94526
(925) 820-8233

THIS IS AN ORIGINAL, UNPUBLISHED WORK, AND MAY NOT BE DUPLICATED, PUBLISHED, OR OTHERWISE USED WITHOUT WRITTEN CONSENT OF WILLIAM WOOD ARCHITECTS.
COPYRIGHT © WILLIAM WOOD ARCHITECTS, 2025


DRAWN FM
CHECKED WW
DATE 4-16-25
SCALE AS SHOWN
JOB NO. 24.2077A
SHEET A9
OF SHEETS

PLOT DATE: Apr 16, 2025 - 10:57am A5-T Elevations.dwg



PROPOSED LEFT ELEVATION


SCALE: 1/4" = 1'-0"



EXISTING LEFT ELEVATION

SCALE: 1/4" = 1'-0"

REVISIONS	DATE



VARNI RENOVATION

101 LINHARES LANE
ALAMO, CA 94507

WILLIAM WOOD
ARCHITECTS

301 HARTZ AVENUE, SUITE 203
DANVILLE, CALIFORNIA 94526
(925) 820-8233

THIS IS AN ORIGINAL, UNPUBLISHED
WORK, AND MAY NOT BE DUPLICATED,
PUBLISHED, OR OTHERWISE USED
WITHOUT WRITTEN CONSENT OF
WILLIAM WOOD ARCHITECTS.
COPYRIGHT © WILLIAM WOOD ARCHITECTS, 2025

DRAWN
FM

CHECKED
WW

DATE
4-16-25

SCALE
AS SHOWN

JOB NO.
24.2077A

SHEET
A10

OF SHEETS

ELECTRICAL NOTES

- 1) VERIFY LOCATION AND NUMBER OF FLOOR OUTLETS W/ OWNER.
- 2) PROVIDE A DEDICATED 20-AMP BRANCH CIRCUIT TO SUPPLY THE LAUNDRY RECEPTACLE OUTLET. PER 2022 CEC.
- 3) PROVIDE AN ARC-FAULT CIRCUIT INTERRUPTER TO PROTECT ALL RECEPTACLES IN THE BEDROOMS. PER 2010 CEC
- 4) PROVIDE RECEPTACLE OUTLETS IN FOLLOWING LOCATIONS:
A. AT EACH KITCHEN AND DINING AREA COUNTER SPACE WIDER THAN 12" LOCATED SO THAT NO POINT ALONG THE COUNTER WALL IS OVER 24" FROM A RECEPTACLE.
B. AN EXTERIOR RECEPTACLES AT THE FRONT AND REAR OF THE HOME. THEY MUST BE WITHIN 6 FEET, 6 INCHES OF GRADE AND WATERPROOF.
C. ONE RECEPTACLE FOR THE LAUNDRY. (1E, WASHER). CEC 210-52(F)
D. IN ANY HALLWAY 10 FT OR MORE IN LENGTH. CEC 210-52 (H).
- 5) FLOOR OUTLETS MAY BE USED AS REQUIRED WALL OUTLETS WHEN LOCATED WITHIN 18" OF THE WALL IN ACCORDANCE WITH 2022 CEC. SUCH AS THE DINING ROOM, PARLOR AND FAMILY ROOM.
- 6) KITCHEN COUNTERTOP RECEPTACLES SHALL BE LOCATED ABOVE THE COUNTERTOP NOT MORE THAN 18", AND MAY NOT BE INSTALLED FACE-UP IN THE COUNTER.
- 7) CONDUCTOR WIRES WITH AN INSULATED NEUTRAL AND A FOUR-PRONG OUTLET IS REQUIRED FOR DRYERS AND COOKING UNITS.
- 8) KITCHEN COUNTER OUTLETS FOR SMALL APPLIANCES ARE REQUIRED TO BE POWERED FROM TWO SEPERATE CIRCUITS.
- 9) ELECTRICAL OUTLETS IN THE BEDROOMS ARE REQUIRED TO HAVE AFCI PROTECTION.
- 10) ELECTRICAL OUTLETS IN BATHROOMS, LAUNDRY ROOMS, GARAGE AND KITCHEN COUNTER AND OUTSIDE ARE REQUIRED TO HAVE GFCI PROTECTION.
- 11) ELECTRICAL OUTLETS OUTSIDE THE BUILDING REQUIRE WEATHER-PROTECTED GFI PER ART. 210-52.
- 12) PROVIDE A DEDICATED 20-AMP CIRCUIT TO SERVE THE REQUIRED BATHROOM OUTLETS. THIS CIRCUIT CANNOT SUPPLY ANY OTHER RECEPTACLES, LIGHTS, FANS, ETC. (EXCEPTION - WHERE THE CIRCUIT SUPPLIES A SINGLE BATHROOM, OUTLETS FOR OTHER EQUIPMENT WITHIN THE SAME BATHROOM SHALL BE PERMITTED TO BE SUPPLIED)
- 13) CONTRACTOR TO PROVIDE THE OPTION OF GAS OR 220V @ THE COOK TOP (VERIFY W/ OWNER)
- 14) PROVIDE APPROVED EXCESS GAS SHUT-OFF DEVICES, NON-MOTION SENSITIVE TO BE TRIGGERED WHEN THE GAS FLOW EXCEEDS THE DESIGN FLOW LIMIT, AT EACH CONNECTION OF A GAS APPLIANCE TO A GAS LINE PER C.C.Co. ORDINANCE 2004-27.
- 15) PRESSURE TEST IS REQUIRED FOR GAS LINES PRIOR TO FINAL (MINIMUM 10 PSI FOR 15 MINUTES.
- 16) CONTRACTOR TO PROVIDE A COLD WATER CONNECTION @ THE REFRIGERATOR.
- 17) PROVIDE A PRESSURE RELIEF VALVE W/ DRAIN TO OUTSIDE @ WATER HEATER, TYP.
- 18) MINIMUM CAPACITY OF WATER HEATER EQUIVALENT TO NOT LESS THAN THE FIRST HOUR RATINGS OF 50 GALLON, OR PER T-24 CALC WHICHEVER IS GREATER.
- 19) PROVIDE HOSE BIBB (1/2" CW) WITH A NON-REMOVABLE ANTI-SIPHON DEVICE.
- 20) WATER CLOSET MAXIMUM 16 GALLONS PER FLUSH.
- 21) SHOWER HEADS AREA ALLOWED MAXIMUM 2.5 GPM FLOW PER.
- 22) KITCHEN FAUCETS MAX. 2.2 GPM
- 23) BATHROOM FAUCET SHALL NOT CONSUME MORE THAN 2.2 GPM PER SECT 402.5
- 24) SHOWER AND TUB SHOWER COMBINATIONS SHALL BE PROVIDED WITH INDIVIDUAL CONTROL VALVES OF THE PRESSURE BALANCE OR THE THERMOSTATIC MIXING VALVE TYPE. CPC 420.0
- 25) KITCHEN & BATHROOM LIGHTING SHALL MEET EFFICIENCY REQUIREMENT TITLE 24-2-5352(U).
- 26) LUMINAIRES FOR GENERAL LIGHTING IN KITCHENS SHALL HAVE LAMPS WITH AN EFFICIENCY OF 40 LUMENS/WATT OR GREATER FOR GENERAL LIGHTING IN KITCHENS. THIS GENERAL LIGHTING SHALL BE CONTROLLED BY A SWITCH ON A READILY ACCESSIBLE LIGHTING CONTROL PANEL AT AN ENTRANCE TO THE KITCHEN. 150 (K); ROOMS WITH A SHOWER OR BATHTUB MUST HAVE EITHER AT LEAST ONE LUMINAIRE WITH LAMPS WITH AN EFFICIENCY OF 40 LUMENS/WATT OR GREATER SWITCHED AT THE ENTRANCE TO THE ROOM OR ONE OF THE ALTERNATIVES TO THIS REQUIREMENT ALLOWED IN SEC 150 (K)2; AND RECESSED CEILING FIXTURES ARE 1C (INSULATION COVER) APPROVED. 150 (K) 2
- 27) ALL LIGHT FIXTURE IN TUB OR SHOWER ENCLOSURES SHALL BE LABEL "SUITABLE FOR DAMP LOCATIONS" AND IF CEILING HEIGHT IS > 8 FT. BE PROTECTED BY GFCI. CEC 410-4(A)208
- 28) RESIDENTIAL LIGHTING STANDARDS REQUIREMENTS SHALL INCORPORATE THE CALIFORNIA BUILDING EFFICIENCY STANDARDS TITLE 24, PARTS 1 AND 6, OF THE CALIFORNIA BUILDING CODE OF REGULATIONS VERSION OCTOBER 19, 2022
- 29) HIGH EFFICIENCY LIGHTING IN THE KITCHEN SHALL BE SWITCHED SEPARATELY.
- 30) ICC CANS FOR CEILINGS MUST BE APPROVED FOR ZERO CLEARANCE
- 31) PROVIDE AIR TIGHT RECESSED LUMINAIRES
- 32) IC RATED CANS (ZERO CLEARANCE RATED TO COMPLY WITH T-24) ARE REQUIRED FOR LIGHT FIXTURES IN THE INSULATED CEILING AREA.
- 33) THERMOSTAT LOCATION TO BE DETERMINED BY HVAC DESIGNER.
- 34) FLOOR & CEILING AIR REGISTERS TO BE DETERMINED BY HVAC DESIGNER.
- 35) INSTALLATION INSTRUCTIONS FOR ALL EQUIP. SHALL BE PROVIDED TO THE FIELD INSPECTOR @ THE TIME OF INSPECTION.
- 36) ADDRESS NUMBERS OR ADDRESSES SHALL BE PLACED ON ALL NEW AND EXISTING BUILDINGS IN SUCH A POSITION AS TO BE PLAINLY VISIBLE AND LEGIBLE FROM THE STREET OR ROAD FRONTING THE PROPERTY. SAID NUMBERS SHALL CONTRAST WITH THEIR BACKGROUND. (CFC2001SEC.901.4.4). PROVIDE A DEDICATED 20-AMP BRANCH CIRCUIT TO SUPPLY THE ADDRESS SIGN. DOOR BELL CAN USE THE SAME CIRCUIT.
- 37) ELECTRICAL MAIN AND SUB-PANEL(S) SHALL NOT BE LOCATED IN THE VICINITY OF EASILY IGNITABLE MATERIAL(S) SUCH AS CLOTHES CLOSETS OR LOCATED IN BATHROOMS. CEC 240-24(D) AND 240-24 (E)
- 38) CONTRACTOR TO PROVIDE AND ADDITIONAL WATERTIGHT CORROSION RESISTANT METAL PAN BELOW CONDENSATE PRODUCING EQUIPMENT INSTALLED IN THE ATTIC OR FURRED SPACE. THE SECONDARY DRAIN LINE MUST BE SHOWN AT A POINT WHERE IT CAN BE READILY OBSERVED. CMCS10.2
- 39) CONTRACTOR TO SPECIFY SEISMIC ANCHORAGE OF THE FURNACE PER MANUFACTURERS LISTING.
- 40) UNLESS OTHERWISE PERMITTED OR REQUIRED BY THE DRYER MANUFACTURE'S INSTALLATION INSTRUCTIONS AND APPROVED BY THE ADMINISTRATIVE AUTHORITY, DOMESTIC DRYER MOISTURE EXHAUST DUCTS SHALL NOT EXCEED A TOTAL COMBINED HORIZONTAL AND VERTICAL LENGTH OF FOURTEEN (14) FEET, INCLUDING 2 NINETY DEGREE ELBOWS. TWO (2) FEET SHALL BE DEDUCTED FOR EACH NINETY DEGREE ELBOW IN EXCESS OF TWO. PER 2022 CMG 504.5.2.2.


ELECTRICAL/MECHANICAL KEY

- Ø DUPLEX RECEPTACLE OUTLET @ 12" U.N.O.
- Ø^{AFCI} DUPLEX RECEPTACLE OUTLET @ 12" U.N.O. W/ ARC-FAULT CIRCUIT INTERRUPTER
- Ø^{GFI} DUPLEX RECEPTACLE OUTLET W/ GROUND FAULT CIRCUIT INTERRUPTER
- Ø^{WP GFI} WEATHER PROOF DUPLEX RECEPTACLE OUTLET (GFI PROTECTED PER NEC210-8(a)3)
- Ø²²⁰ DUPLEX RECEPTACLE OUTLET - 220 VOLT

- \$ SINGLE POLE SWITCH @ 48" U.N.O.
- \$³ THREE-WAY SWITCH
- \$⁴ FOUR-WAY SWITCH
- \$⁵ SWITCH W/ DIMMER
- \$⁶ SWITCH W/ MOTION LIGHT
- CEILING MOUNTED LIGHT FIXTURE
- ^F CEILING MOUNTED FLUORESCENT LIGHT FIXTURE
- ^{WP} LIGHT FIXTURE - SHALL BE LABELED SUITABLE FOR DAMP LOCATIONS
- ^W WALL MOUNTED LIGHT FIXTURE
- ^{WP} WALL MOUNTED LIGHT FIXTURE - SHALL BE SUITABLE FOR DAMP LOCATIONS
- ^H HANGING LIGHT
- ^{LF} CEILING MOUNTED LIGHT/FAN COMBO
- ⊗ RECESSED CEILING LIGHT FIXTURE

- ⋈ AIR SUPPLY LOCATED IN TOE SPACE
- ⌞^A CEILING SUPPLY AIR REGISTER
- ⌞^F FLOOR AIR SUPPLY REGISTER
- ⊖ GAS OUTLET
- ⊕ THERMOSTAT
- ⊗^{WP} RECESSED LIGHT FIXTURE - SHALL BE LABELED SUITABLE FOR DAMP LOCATIONS
- ⊗^F RECESSED FLUORESCENT LIGHT FIXTURE
- ⊗^{LF} RECESSED FLUORESCENT LIGHT/FAN COMBO
- ⊙ FLOOD LIGHT
- ▽ CAT 6 OUTLET
- ▽ TELEVISION OUTLET
- ⊕ WHOLE HOUSE FAN
- RECESSED LOW VOLTAGE CEILING LIGHT


- ⌞⁼⁼ GARAGE DOOR OPENER, W/ PUSH BUTTON OPENER INSIDE OF GARAGE & PROVIDE CEILING OUTLET
- ⋈ CEILING FAN
- ⊕⁺ HOSE BIBB W/ VACUUM BREAKER
- ⊗^{SD} SMOKE DETECTOR - (110V W/ BATTERY BACK-UP) HARD WIRED & INTERCONNECTED
- ⊗^{CD} CARBON MONOXIDE DETECTOR - (110V W/ BATTERY BACK-UP) HARD WIRED & INTERCONNECTED



FLOOR PLAN

SCALE: 1/4" = 1'-0"

REVISIONS	DATE



VARNI RENOVATION

101 LINHARES LANE
ALAMO, CA 94507

WILLIAM WOOD ARCHITECTS


301 HARTZ AVENUE, SUITE 203
DANVILLE, CALIFORNIA 94526
(925) 820-8233

THIS IS AN ORIGINAL, UNPUBLISHED WORK, AND MAY NOT BE DUPLICATED, PUBLISHED, OR OTHERWISE USED WITHOUT WRITTEN CONSENT OF WILLIAM WOOD ARCHITECTS.

COPYRIGHT © WILLIAM WOOD ARCHITECTS, 2025

DRAWN FM
CHECKED WW
DATE 4-18-25
SCALE AS SHOWN
JOB NO. 24.2077A
SHEET A11
OF SHEETS


PLOT DATE: Apr. 16, 2025 - 10:52am AS Electrical-Mechanical Plan.dwg



EXISTING FLOOR PLAN

SCALE: 1/4" = 1'-0"

REVISIONS	DATE



VARNI RENOVATION

101 LINHARES LANE
ALAMO, CA 94507

WILLIAM WOOD
ARCHITECTS

301 HARTZ AVENUE, SUITE 203
DANVILLE, CALIFORNIA 94526
(925) 820-8233

THIS IS AN ORIGINAL UNPUBLISHED WORK, AND MAY NOT BE DUPLICATED, PUBLISHED, OR OTHERWISE USED WITHOUT WRITTEN CONSENT OF WILLIAM WOOD ARCHITECTS.

COPYRIGHT © WILLIAM WOOD ARCHITECTS, 2025

DRAWN
FM

CHECKED
WW

DATE
4-18-25

SCALE
AS SHOWN

JOB NO.
24.2077A

SHEET

A12

OF SHEETS



CONTRA COSTA COUNTY

1025 ESCOBAR STREET
MARTINEZ, CA 94553

Staff Report

File #: 25-2627

Agenda Date: 7/8/2025

Agenda #: 4.

Advisory Board: The Alamo Municipal Advisory Council

Subject: CDVR25-01027 - 2537 Cerro Vista Lane, Alamo

Presenter:

Contact: Maria Lara-Lemus; Maria.Lara-Lemus@dcd.cccounty.us

Information:

The applicant requests approval of a variance to allow 11-foot secondary frontage setback (where 20 feet is required) for a new 528 square-foot garage.

Recommendation(s)/Next Step(s):



AGENCY COMMENT REQUEST

Date 4/29/25

We request your comments regarding the attached application currently under review.

DISTRIBUTION

INTERNAL

☒ Building Inspection Grading Inspection
 Advance Planning Housing Programs
 Trans. Planning Telecom Planner
 ALUC Staff HCP/NCCP Staff
 County Geologist

HEALTH SERVICES DEPARTMENT

☒ Environmental Health Hazardous Materials

PUBLIC WORKS DEPARTMENT

Engineering Services Special Districts
 Traffic
 Flood Control (Full-size)

LOCAL

☒ Fire District _____
 ☒ San Ramon Valley – (email) rwendel@srvfire.ca.gov
 Consolidated – (email) fire@cccfd.org

☒ Sanitary District Central San

☒ Water District EBMUD

City of _____
 School District(s) _____
 LAFCO
 Reclamation District # _____
 East Bay Regional Park District
 Diablo/Discovery Bay/Crockett CSD

☒ MAC/TAC Alamo MAC

☒ Improvement/Community Association -AIA

☒ CC Mosquito & Vector Control Dist (email)

OTHERS/NON-LOCAL

CHRIS (email only: nwic@sonoma.edu)
 CA Fish and Wildlife, Region 3 – Bay
 ta Native American Tribes

ADDITIONAL RECIPIENTS

Please submit your comments to:

Project Planner Maria Lara-Lemus
 Phone # 925-655-2904
 E-mail maria.lara-lemus@dcd.cccounty.us
 County File # CDVR25-01027

Prior to May 27, 2025

We have found the following special programs apply to this application:

Landslide Active Fault Zone (A-P)
 Liquefaction ☒ Flood Hazard Area (B)
 60-dBA Noise Control
 CA EPA Hazardous Waste Site
 High or Very High FHSZ

AGENCIES: Please indicate the applicable code section for any recommendation required by law or ordinance. Please send copies of your response to the Applicant and Owner.

Comments: None Below Attached

Print Name _____

Signature _____ DATE _____

Agency phone # _____



CONTRA COSTA

CONSERVATION & DEVELOPMENT

Planning Application Summary

County File Number: CDVR25-01027

File Date: 4/28/2025

Applicant:

KEITH & CARMEL

uklancashirelad@yahoo.com

HOLCE HOLCE KEITH & CARMEL C TRE

(925) 330-4865

2537 CERRO VISTA LN

ALAMO, CA 945071076

Property Owner:

KEITH & CARMEL HOLCE

uklancashirelad@yahoo.com

2537 CERRO VISTA LN

(925) 330-4865

ALAMO, CA 945071076

Project Description:

The applicant requests approval of a variance to allow a 0-foot side yard (where 3 feet is the minimum) and an, approximately, 6.5-foot secondary frontage setback (where 20 feet is required) for a new 528 square-foot garage.

Project Location: (Address: 2537 CERRO VISTA LN, ALAMO, CA 94507), (APN: 188330021)

Additional APNs:

General Plan Designation(s): RL

Zoning District(s): R-20

Flood Hazard Areas: B

AP Fault Zone: N/A

60-dBA Noise Control:X

MAC/TAC: Alamo MAC

Sphere of Influence:N/A

Fire District: SAN RAMON VLY FIRE


Sanitary District: CENTRAL SANITARY

Housing Inventory Site: NO

Specific Plan: N/A

Fees:

Fee Item	Description	Account Code	Total Fee	Paid
052B	Notification Fee (\$30)	002606-9660-REV-000-5B052B	30.00	30.00
HSDR	Environmental Health Fee (\$57)	002606-9660-REV-000-5BHSDR \$5.00	57.00	57.00
VRS0044	Zone Variance - DCD	002606-9660-REV-000-5B0044	3250.00	3250.00
VRS0044P	Zone Variance - PW	000651-9660-REV-000-6L0044	1000.00	1000.00
Total:			4337.00	4337.00



Map Legend

Assessment
Parcels

Planning Layers (DCD)

Unincorporated
Board of
Supervisors'
Districts

Base Data

• Address Points

This map is a user generated, static output from an internet mapping application and is intended for reference use only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable.

THIS MAP IS NOT TO BE USED FOR NAVIGATION.

CCMap is maintained by Contra Costa County Department of Information Technology, County GIS. Data layers contained within the CCMap application are provided by various Contra Costa County Departments. Please direct all data inquiries to the appropriate department.



Spatial Reference
PCS: WGS 1984 Web Mercator Auxiliary S
Datum: WGS 1984

RANCHO SAN RAMON

1- 57P.M.21 8-25-77

2- 118P.M1 & 2 8-27-85

P B
187



NOTE: THIS MAP WAS PREPARED FOR ASSESSMENT PURPOSES ONLY. NO LIABILITY IS ASSUMED FOR THE ACCURACY OF THE INFORMATION DELINEATED HEREON. ASSESSOR'S PARCELS MAY NOT COMPLY WITH LOCAL LOT SPLIT OR BUILDING SITE ORDINANCES.

General Plan: RL | RESIDENTIAL LOW DENSITY



Map Legend

Assessment
Parcels

Planning Layers
(DCD)

General Plan

RL (Residential
Low Density)
(1-3 du/na)

Base Data

Address Points

This map is a user generated, static output from an internet mapping application and is intended for reference use only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable.
THIS MAP IS NOT TO BE USED FOR NAVIGATION.
CCMap is maintained by Contra Costa County Department of Information Technology, County GIS. Data layers contained within the CCMap application are provided by various Contra Costa County Departments. Please direct all data inquiries to the appropriate department.

Spatial Reference
PCS: WGS 1984 Web Mercator Auxiliary S
Datum: WGS 1984

Zoning: R-20 | SINGLE-FAMILY RESIDENTIAL DISTRICT



Map Legend

Assessment
Parcels

Planning Layers
(DCD)

Zoning

ZONE_OVER

R-20 (Single
Family
Residential)

Base Data

Address Points

This map is a user generated, static output from an internet mapping application and is intended for reference use only. Data layers that appear on this map may or may not be accurate, current, or otherwise reliable.

THIS MAP IS NOT TO BE USED FOR NAVIGATION.


CCMap is maintained by Contra Costa County Department of Information Technology, County GIS. Data layers contained within the CCMap application are provided by various Contra Costa County Departments. Please direct all data inquiries to the appropriate department.

Spatial Reference
PCS: WGS 1984 Web Mercator Auxiliary S
Datum: WGS 1984

BUILDING SETBACK SURVEY

2537 CERRO VISTA LANE

ALAMO
COUNTY OF CONTRA COSTA
STATE OF CALIFORNIA



817 Arnold Drive Ste. 50
Martinez, CA 94553
Ph: (925) 476-8499
www.apexce.net






NO.	REVISIONS	BY	APP	DATE

BUILDING SETBACK SURVEY
2537 CERRO VISTA LANE, ALAMO, CA

SHEET
1 OF 1

DATE
3-27-2025

PROJ#25015




LEGEND

EXISTING	ITEM
---	BOUNDARY
---	R/W
---	ADJACENT PROPERTY LINE
---	CENTERLINE
---	EASEMENT LINE
---	MONUMENT LINE
---	BUILDING LINE
X	FENCE LINE
OH	OVERHEAD LINE
[Pattern]	PAVEMENT
[Pattern]	CONCRETE
[Symbol]	CATCH BASIN
[Symbol]	FOUND MONUMENT
[Symbol]	POWER POLE
[Symbol]	FND SURVEY MARKER AS NOTED
[Symbol]	TREE TRUNK/APPROX CANOPY

BASIS OF BEARINGS

BEARINGS ARE BASED ON THE MONUMENT LINE OF DANVILLE BLVD AS SHOWN ON THE RECORD OF SURVEY (93 LSM 26) TAKEN AS NORTH 24°52'26" WEST BETWEEN FOUND MONUMENTS



SITE PLAN

PROJECT DATA	
LOCATION	2537 CERRO VISTA LANE, ALAMO
OWNERS	KEITH AND CARMEL HOLCE
ARCHITECT	KENNY GOODMAN, AIA. TRADEMARK ARCHITECTURE+INTERIORS
BUILDER	
ENGINEER	SUNG ENGINEERING PETER SUNG (510) 475-7900
BUILDING TYPE	DETACHED GARAGE, ONE STORY, TYPE V-B CONSTRUCTION, R-20 ZONE
SCOPE OF WORK	REMOVE EXISTING 2-CAR CARPORT AND REPLACE WITH 2-CAR GARAGE STRUCTURE IN SIMILAR LOCATION
GOVERNING BUILDING CODES	2022 CBC, 2022 C.R.C., 2022 CEC, 2022 CMC, 2022 CPC, 2022 CEC, 2022 CALIFORNIA GREEN BUILDING CODE, LOCAL ORDINANCES AS THEY MAY APPLY
A.P.N.	180 330 021
SITE AREA	17,232 SQUARE FEET
BUILDING AREA	(E) CAR PORT 413.44 SQUARE FEET PROPOSED GARAGE 526.00 SQUARE FEET

remodel for: Keith and Carmel Holce 2537 Cerro Vista Lane Alamo, CA 94507		Trademark Architecture + Interiors 1078 carol lane , suite 202 lafayette, california 94549 925-385-7202	
Date			
Scale	1/8" = 1'-0"		
Drawn	KAG		
Job	2006		
Sheet			
Of			
Sheets			