EXHIBIT B-1

COPIER/MFD SPECIFICATION DEVICE FUNCTIONALITY

All Copiers/MFDs leased under this Agreement shall meet the requirements and specifications included in this Exhibit B.

A. COPIER/MFD DEVICE FUNCTIONALITY KONICA MINOLTA BIZHUB BLACK & WHITE

#	Segment	1	2	3	4	5	6
	Device Model	4051i/ 4751i	227-287	301i-361i	451i-651i	850i-950i	2100
1	NEMA plug configuration type	5-15R	5-15R	5-15R	5-15R	5-20R/808 6-20R/ 958	6-20R
2	Brand and model of included power surge protector (line conditioner)	Next Gen PCS	Next Gen PCS	Next Gen PCS	Next Gen PCS	Next Gen PCS	Next Gen PCS
3	Power consumption (running)	4052 1.79kWh 4752 2.21 kWh	1.89KWh	308e 2.15kWh 368e 2.81 kWh	458e 3.8kWh 558e 5.6 kWh 658e 3.8 kWh	808 6.6 kWh 958 8.7 kWh	3.6 kWh or less
4	Power consumption (idle)	Less then 1.5kWh	Less then 1.5kWh	Less then 1.5kWh	Less then 1.59 kWh	Less then 808 2.10 kWh 958 3.84	2.2 kWh
5	Power consumption (off)	0 kWh	0 kWh	0 kWh	0 kWh	0 kWh	0 kWh
6	Energy reduction Features	yes	yes	yes	yes	yes	yes
7	Does the model offer full-bleed letter and ledger -size printing?	no	Yes	Yes	Yes	Yes	Yes

	Reduction in printing speed vs. rated copy	0	0	0	0	0	0
8	per-minute speed (percentage basis)					*	
9	Material Safety Data Sheet (MSDS) included in RMC provided literature	Please see attached					
10	Advance notice provided by the Copier/MFD before running out of toner	YES	YES	YES	YES	YES	YES
11	Primary functions (i.e., copying, printing, faxing [as applicable] and scanning) that are able to be performed simultaneously	ALL FUNCTIONS	ALL FUNCTIONS	ALL FUNCTIONS	ALL FUNCTIONS	ALL FUNCTIONS	ALL FUNCTIONS
12	Print/copy jobs are not stored on the Copier/MFD's hard drive after printing	CORRECT	CORRECT	CORRECT	CORRECT	CORRECT	CORRECT
13	Page Description Language (PDL) compatibilities, including version numbers, are included in CONTRACTOR's	Yes	Yes	Yes	Yes	Yes	Yes

	pricing.						
	COUNTY's network	Yes	Yes	Yes	Yes	Yes	Yes
	and server operating						
	system						
	compatibilities,						
14	including version						
	numbers, are						
	included in						21
	CONTRACTOR's						
-	pricing	A111-1-1-	All and lab.	A111-1-1-	All	A11	A11 21 1.1
	Which walk-up	ALL available					
	copying, faxing or						
	scanning features, if any, are not						
15	any, are not available to						
13	workstation users						
	via the unit's print,						
	fax and scan drivers?						
	The maximum	1 Hour					
	Copier/MFD timeout		2.1.00.			211001	
16	period for walk-up						
	users.						
	The Copier/MFDs	YES, Standard					
	can be configured to	feature.	feature.	feature.	feature.	feature.	feature.
17	securely hold all	Advance	Advance	Advance	Advance	Advance	Advance
	print jobs at the	Secure Print is					
	device until	available	available	available	available	available	available
	released using a user	through	through	through	through	through	through
	assigned password	PaperCut	PaperCut	PaperCut	PaperCut	PaperCut	PaperCut
	number (Secure						
	Printing)						

18	The Copier/MFD print driver can be defaulted to require the use of the Secure Print function	YES	YES	YES	YES	YES	YES
19	Amount of included RAM memory dedicated for the copier, fax (as applicable), scanner and printer Functions	4GB	4GB	4GB	4GB	4GB	8GB
20	The maximum number of fax lines that each installed Copier/MFD can accommodate	2	4	4	4	4	NONE
21	Each of the installed model is set from the factory to default to copier functionality as the priority document imaging mode	YES	YES	YES	YES	YES	YES
22	Each color-capable Copier/MFD will be set from the factory to default to monochrome functionality as the	YES	YES	YES	YES	YES	YES

	priority document imaging mode for both walk-up copy, scanning and printdriver users						
23	Monochrome-only print drivers can be made available for users of the color-capable Copier/MFDs. Although this functionality is available, vendor will eliminate from the drivers and the Copier/MFD touch screen panels any mention of a Color-Only copying/printing mode.	YES	YES	YES	YES	YES	YES
24	Two-sided one-pass scanning (i.e., "simultaneous" or "perfect" scanning) capability included	YES	YES	YES	YES	YES	YES
25	Stack-feed bypass tray capable of feeding multiple #10 envelopes	YES	YES	YES	YES	YES	NO

26	The model can print out the internal user/departmental tracking data	YES	YES	YES	YES	YES	YES
27	The internal user/departmental tracking data can be transmitted electronically via an included copy/print tracking and billing solution to the CONTRACTOR	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT
28	Printing can be controlled and tracked via the copy/print tracking and billing solution provided by the CONTRACTOR	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT
29	Copy tracking data can be listed separately from print tracking data for each user or department being tracked by the copy/print tracking and billing solution	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT
	The internal tracking codes can be	YES	YES	YES	YES	YES	YES

30	submitted electronically to the copy/print tracking and billing solution on a prescribed day each month						
31	User identification codes can be set up globally for all devices and/or on individual devices from a remote location	PaperCut	PaperCut	PaperCut	PaperCut	PaperCut	PaperCut
32	A brief description of the most efficient method of installing device print, fax and scan driver software for each model on COUNTY workstations	MicroSoft GPO Deployment	MicroSoft GPO Deployment				
33	Banner sheets can be automatically programmed to be pulled from a different (color) paper source than for the print job itself	YES	YES	YES	YES	YES	NO

34	Banner sheets between print jobs can be programmed with the network user's name and/or other identifier so jobs from multiple distant users can more easily be located in high- volume environments	YES	YES	YES	YES	YES	YES
35	The Copier/MFD model offers embedded Bates Stamping capabilities	STAMPS & WATERMARKS	STAMPS & WATERMARKS	STAMPS & WATERMARKS	STAMPS & WATERMARKS	STAMPS & WATERMARKS	STAMPS & WATERMARKS
36	Printing/scanning to/from a USB thumb/flash drive is included on each of the models	YES	YES	YES	YES	YES	YES
37	The scanning system for each Copier/MFD is configured to support common network user authorization, authentication schemes and common directory	YES	YES	YES	YES	YES	YES

	protocols such as LDAP and native active directory. The processes are the same as those required by the users' network login e.g., user name and password						
38	A user's name can be added to the "From" field for further verification of the sender	No	No	No	No	No	No
39	Each Copier/MFD need to be programmed manually (remotely or otherwise) to incorporate each authorized user's email addresses	YES – Standard Feature. Advance programing to the fleet can be performed with PaperCut	YES – Standard Feature. Advance programing to the fleet can be performed with PaperCut	YES – Standard Feature. Advance programing to the fleet can be performed with PaperCut	YES – Standard Feature. Advance programing to the fleet can be performed with PaperCut	YES – Standard Feature. Advance programing to the fleet can be performed with PaperCut	YES – Standard Feature. Advance programing to the fleet can be performed with PaperCut
40	Each Copier/MFD allows scanned documents to be encrypted for security purposes.	YES	YES	YES	YES	YES	YES
	Users can choose a scan file format	YES	YES	YES	YES	YES	YES

41	available (e.g. PDF, TIFF, and JPEG) at the device based on an application and preference.						
42	Users wishing to utilize the included scan-to-email function are authenticated	YES	YES	YES	YES	YES	YES
43	The device can create text-searchable PDF files from scanned originals providing greater access to documents archived in shared files, folders, or future Electronic Document Management Systems (EDMS) applications that the COUNTY may implement	YES, Advance OCRing from the server level can be accomplished with PaperCut	Not through the machine however, Advance OCRing from the server level can be accomplished with PaperCut				
44	Multiple pages can be scanned and either emailed or stored without having to go back-and-forth	YES	YES	YES	YES	YES	YES

	between the device and the PC workstation between each page						
45	The scanning solution includes OCR software with advanced desktop layout analysis for editing, archiving and sharing	OCR Yes, Advance desktop software for analysis for editing, archiving can be accomplished with Nuance Power PDF	OCR Yes, Advance desktop software for analysis for editing, archiving can be accomplished with Nuance Power PDF	OCR Yes, Advance desktop software for analysis for editing, archiving can be accomplished with Nuance Power PDF	OCR Yes, Advance desktop software for analysis for editing, archiving can be accomplished with Nuance Power PDF	OCR Yes, Advance desktop software for analysis for editing, archiving can be accomplished with Nuance Power PDF	OCR No, Advance desktop software for analysis for editing, archiving can be accomplished with Nuance Power PDF
46	Walk-up Copier/MFD users have access to a full- size integrated QWERTY keyboard	NO	YES	YES	YES	YES	Yes
47	Users can search for available network folders on the Copier/MFD screen to determine where to send scanned documents	NO	YES, Network List is available from the Panel display, For advance browsing & sub-folder navigation this can be accomplished with the	YES, Network List is available from the Panel display, For advance browsing & sub-folder navigation this can be accomplished with the	YES, Network List is available from the Panel display, For advance browsing & sub-folder navigation this can be accomplished with the	YES, Network List is available from the Panel display, For advance browsing & sub-folder navigation this can be accomplished with the	NO

48	Color scanning capability is included on any of the monochrome models	CORRECT	optional KM SMB Connector CORRECT	optional KM SMB Connector CORRECT	optional KM SMB Connector	optional KM SMB Connector CORRECT	CORRECT
49	The scanning system can support common network user authorization, authentication schemes and common directory protocols such as LDAP. The processes are the same as those required by the users' network login e.g., user name and password A user's name can be added to the "From" field for further verification of the sender	YES	YES	YES	YES	YES	YES
50	The device allows scanned documents to be encrypted for	YES	YES	YES	YES	YES	YES

	security purposes						W
	The device allows for	YES, by	YES, by	YES, by	YES, by	YES, by	YES, by
	scanning to	scanning to a	scanning to a	scanning to a	scanning to a	scanning to a	scanning to a
	Electronic Document	secure	secure	secure	secure	secure	secure
	Management	network	network folder				
51	Systems (EDMS) or	folder for	for EDMS				
	Enterprise Content	EDMS Import	Import	Import	Import	Import	Import
	Management (ECM)						
	Users can scan to a	YES	YES	YES	YES	YES	YES
	Windows share						
52	location or to FTP						
	(Internet transfer)						
	on each Copier/MFD						
	The device can scan	YES, Via	YES, Via	YES, Via	YES, Via	YES, Via	NO
53	images into	WebDav	WebDav	WebDav	WebDav	WebDav	
	WYSIWIG web-based	Protocol	Protocol	Protocol	Protocol	Protocol	
	HTML files						
	The device allows a	This is not a	This is not a	This is not a	This is not a	This is not a	This is not a
	user to attach	standard	standard	standard	standard	standard	standard
	Document	feature but	feature but	feature but	feature but	feature but	feature but
	Management Fields	can be	can be	can be	can be	can be	can be
	(e.g. date, name, file	accomplished	accomplished	accomplished	accomplished	accomplished	accomplished
54	number) to the	with optional	with optional	with optional	with optional	with optional	with optional
	document file for	software such	software such	software such	software such	software such	software such
	filing/retrieval and	as eCopy	as eCopy	as eCopy	as eCopy	as eCopy	as eCopy
	unique identification	Embedded or	Embedded or	Embedded or	Embedded or	Embedded or	Embedded or
	(sometimes referred	Nuance	Nuance	Nuance	Nuance	Nuance	Nuance
	to as metadata); the	Autostore	Autostore	Autostore	Autostore	Autostore	Autostore
	metadata or						
	indexing data can be						

	automatically					T	
	included in the						
	scanning template						
	workflow						
		5001:	coo L i				
	The maximum	600dpi	600dpi	600dpi	600dpi	600dpi	600dpi
55	resolution of the						
	scanned image						
	Automatic de-	This is not a					
56	speckling and de-	standard	standard	standard	standard	standard	standard
	skewing of the	feature but					
	scanned image	can be					
		accomplished	accomplished	accomplished	accomplished	accomplished	accomplished
1		with optional					
		software such					
		as eCopy					
		Embedded or					
		Nuance	Nuance	Nuance	Nuance	Nuance	Nuance
		Autostore	Autostore	Autostore	Autostore	Autostore	Autostore
57	The color depth of	8Bit	8Bit	8Bit	8Bit	8Bit	8Bit
	the scanned image					02.4	
	The ability to scan to	YES	YES	YES	YES	YES	YES
58	shared network						
	folder						
59	The ability to scan to	YES	YES	YES	YES	YES	YES
	an email address						
	Email notifications	Standard	Standard	Standard	Standard	Standard	Standard
- 1	will be sent	feature from					
	automatically	the machine					
	to the designated	and with					
	facility key operator	FMAudit	FMAudit	FMAudit	FMAudit	FMAudit	FMAudit
60							

.

	when units are out						
	of paper, out of						
	toner or otherwise						
	require key operator						
	attention						
	The finisher for each	NONE	ВОТН	ВОТН	ВОТН	EXTERNAL	EXTERNAL
61	Copier/MFD is	IVOIVE	DOTTI	BO111	50111	LATERNAL	LATERIVAL
01	internal or external						
	to the device						
	A brief description of	NONE	WITH MULTI				
	how prints, faxes (as	NONL	TRAYS	TRAYS	TRAYS	TRAYS	TRAYS
	applicable) and		THROUGH THE				
62	copies will be		SETTING ON				
02	separated on the		THE COPIER				
	finisher and/or exit		THE COPIEN	THE COPIER	THE COPIEN	THE COLLEK	THE COLLEK
	trays of each						
	Copier/MFD model						
_	The finisher support	NO	YES	YES	YES	YES	YES
	2-hole punching in	110	125	123	123	123	123
63	addition to 3-hole						
	punching (Segment	3					
	4a, 4b, 5 and 6 units						
	only)						
64	The finisher offer	NO	YES	YES	YES	YES	YES
	subset stapling						
	The item numbers	All Copier and					
	and brand names for	Laser Rated					
65	mailing labels and	Avery Labels,					
	transparencies that	Please see					
	are compatible with	attached	attached	attached	attached	attached	attached
	units						

		Approved	Approved	Approved	Approved	Approved	Approved
		Media Guide	Media Guide	Media Guide	Media Guide	Media Guide	Media Guide
	The units are able to	NO	Labels can run				
	run the transparency		through all				
66	film and mailing		trays,	trays,	trays,	trays,	trays,
	labels from all paper		Transparency's	Transparency's	Transparency's	Transparency's	Transparency's
	sources (drawers		will need to				
	plus bypass),		ran through				
	or if the paper		the Bypass				
	sources are		only	only	only	only	only
	restricted when						
	running this stock,						
	The name and	PCL, PS, FAX	PCL, PS, FAX	PCL, PS, FAX	PCL, PS, FAX	PCL, PS, FAX	PS 5.0.306
	version level of the	share the	share the	share the	share the	share the	WHQL
	print, fax and scan	same driver	same driver	same driver	same driver	same driver	
	driver utilities	package	package	package	package	package	PCL 5.0.2.0
	(as applicable) that	version	version	version	version	version	WHQL
67	will be provided to	11.1.2.0	11.1.2.0 WHQL	11.1.2.0 WHQL	11.1.2.0 WHQL	11.1.2.0 WHQL	
	all workstation users	WHQL					PS PPD
	to enable functional						5.1.0
	connectivity to each						
	model in each						
	Equipment Segment						
	The name and	Konica	Konica Minolta				
	version level of the	Minolta	PageScope	PageScope	PageScope	PageScope	PageScope
	device management	PageScope	Web	Web	Web	Web	Web
	utilities that is	Web	Connection	Connection	Connection	Connection	Connection
	provided to each	Connection	6.0.11	6.0.11	6.0.11	6.0.11	6.0.11
	of the County	6.0.11					
68	Department's						
	Information						1.0

	Technology (IT) staff members to monitor and control each model in each Equipment Segment						
69	The components or parts are considered user-replaceable for each model. Further, the approximate aggregate time involvement to replace these components or parts per unit per month	Toner	Toner, Staples & WASTE TONER BOTTLE				
70	Email notifications will be sent automatically to the designated COUNTY key operator and the CONTRACTOR's assigned technicians via desktop or mobile device when each of the units are out of paper, out of toner or otherwise require key operator attention	FM AUDIT	FM AUDIT	FM AUDIT	FM AUDIT	FM AUDIT	FM AUDIT

	The number of	For Color	For Color	For Color	For Color	Fan Calan	F C-1
					For Color	For Color	For Color
71	monochrome and	Copiers a 50	Copiers a 50	Copiers a 50	Copiers a 50	Copiers a 50	Copiers a 50
	color impressions	pages duplex	pages duplex	pages duplex	pages duplex	pages duplex	pages duplex
	that will be billed if a	would be 100	would be 100	would be 100	would be 100	would be 100	would be 100
	user were to	total pages,	total pages, 95				
	produce a 50-page	95 Pages of	Pages of B&W				
	letter-size duplex	B&W would	would be				
	printed document	be billed and	billed and only				
	containing five color	only 5 pages	5 pages will be				
	pages (pages 1, 10,	will be	charged for				
	11, 12 and 50)	charged for	color.	color.	color.	color.	color.
		color.					
			B&W	B&W	B&W	B&W	B&W
		B&W	machines	machines	machines	machines	machines
		machines	100% will be				
		100% will be	billed to the				
		billed to the	B&W meter				
		B&W meter					

B. COPIER/MFD DEVICE FUNCTIONALITY KONICA MINOLTA - COLOR

#	Segment	1	2	3	4	5	6
	Device Model	C3351i	C251i	C301i-C361i	C451i-C551i	C651i-C751i	C7100
1	NEMA plug configuration type	5-15R	5-15R	5-15R	5-15R	5-20R/808 6-20R/ 958	L6-30R
2	Brand and model of included power surge protector (line conditioner)	Next Gen PCS	Next Gen PCS	Next Gen PCS	Next Gen PCS	Next Gen PCS	Next Gen PCS
3	Power consumption (running)	C3351 1.2kWh	C258 1.2 kWh	C368 1.8 kWh C308 1.5 kWh	C450i 2.5 kWh C550i 3.2 kWh C658 4.0 kWh	C659 4.4kWh C759 5.1 kWh	5.76kWh
4	Power consumption (idle)	Less then	Less then 1.5 kWh	Less then 1.5 kWh	Less then 1.5kWh	Less then 2.1 kWh	1.8kWh
5	Power consumption (off)	0	0	0	0	0	0
6	Energy reduction Features	yes	yes	yes	yes	yes	Yes
7	Does the model offer full-bleed letter and ledger -size printing?	no	YES	YES	YES	YES	Yes
8	Reduction in printing speed vs. rated copy per-minute speed (percentage basis)	0	0	0	0	0	0
9	Material Safety Data Sheet (MSDS) included in RMC provided literature	Please see attached	Please see attached	Please see attached	Please see attached	Please see attached	Please see attached
10	Advance notice provided by the Copier/MFD before running out of toner	YES	YES	YES	YES	YES	YES
	Primary functions (i.e., copying, printing, faxing [as applicable]	ALL FUNCTIONS	ALL FUNCTIONS	ALL FUNCTIONS	ALL FUNCTIONS	ALL FUNCTIONS	Everything but faxing

11	and scanning) that are able to be performed simultaneously						
12	Print/copy jobs are not stored on the Copier/MFD's hard drive after printing	CORRECT	CORRECT	CORRECT	CORRECT	CORRECT	CORRECT
13	Page Description Language (PDL) compatibilities, including version numbers, are included in CONTRACTOR's pricing.	Yes	Yes	Yes	Yes	Yes	Yes
14	COUNTY's network and server operating system compatibilities, including version numbers, are included in CONTRACTOR's pricing	Yes	Yes	Yes	Yes	Yes	Yes
15	Which walk-up copying, faxing or scanning features, if any, are not available to workstation users via the unit's print, fax and scan drivers?	ALL available	ALL available	ALL available	ALL available	ALL available	All available but faxing
16	The maximum Copier/MFD timeout period for walk-up users.	1 Hour					
17	The Copier/MFDs can be configured to securely hold all print jobs at the device until released using a user assigned password number (Secure Printing)	YES, Standard feature. Advance Secure Print is available through PaperCut	YES, Standard feature. Advance Secure Print is available through PaperCut	YES, Standard feature. Advance Secure Print is available through PaperCut	YES, Standard feature. Advance Secure Print is available through PaperCut	YES, Standard feature. Advance Secure Print is available through PaperCut	YES, Standard feature. Advance Secure Print is available through PaperCut
18	The Copier/MFD print driver can be defaulted to require the use of the Secure Print function	YES	YES	YES	YES	YES	YES

19	Amount of included RAM memory dedicated for the copier, fax (as applicable), scanner and printer functions	4GB	8GB	8GB	8GB	4GB	4GB
20	The maximum number of fax lines that each installed Copier/MFD can accommodate	2	4	4	4	4	0
21	Fach of the installed model is set from the factory to default to copier functionality as the priority document imaging mode	YES	YES	YES	YES	YES	YES
22	Each color-capable Copier/MFD will be set from the factory to default to monochrome functionality as the priority document imaging mode for both walk-up copy, scanning and print-driver users	YES	YES	YES	YES	YES	YES
23	Monochrome-only print drivers can be made available for users of the color-capable Copier/MFDs. Although this functionality is available, vendor will eliminate from the drivers and the Copier/MFD touch screen panels any mention of a Color-Only copying/printing mode.	YES	YES	YES	YES	YES	YES
24	Two-sided one-pass scanning (i.e., "simultaneous" or "perfect" scanning) capability included	YES	YES	YES	YES	YES	YES

25	Stack-feed bypass tray capable of feeding multiple #10 envelopes	YES	YES	YES	YES	YES	YES, with envelope fuser
26	The model can print out the internal user/departmental tracking data	YES	YES	YES	YES	YES	YES
27	The internal user/departmental tracking data can be transmitted electronically via an included copy/print tracking and billing solution to the CONTRACTOR	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT
28	Printing can be controlled and tracked via the copy/print tracking and billing solution provided by the CONTRACTOR	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT
29	Copy tracking data can be listed separately from print tracking data for each user or department being tracked by the copy/print tracking and billing solution	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT	PAPERCUT
30	The internal tracking codes can be submitted electronically to the copy/print tracking and billing solution on a prescribed day each month	YES	YES	YES	YES	YES	YES
31	User identification codes can be set up globally for all devices and/or on individual devices from a remote Location	PaperCut	PaperCut	PaperCut	PaperCut	PaperCut	PaperCut

32	A brief description of the most efficient method of installing device print, fax and scan driver software for each model on COUNTY workstations	MicroSoft GPO Deployment	MicroSoft GPO Deployment	MicroSoft GPO Deployment	MicroSoft GPO Deployment	MicroSoft GPO Deployment	MicroSoft GPO Deployment
33	Banner sheets can be automatically programmed to be pulled from a different (color) paper source than for the print job itself	YES	YES	YES	YES	YES	YES
34	Banner sheets between print jobs can be programmed with the network user's name and/or other identifier so jobs from multiple distant users can more easily be located in high-volume environments	Yes	YES	YES	YES	YES	YES
35	The Copier/MFD model offers embedded Bates Stamping capabilities	STAMPS & WATERMAR KS	STAMPS & WATERMAR KS	STAMPS & WATERMAR KS	STAMPS & WATERMAR KS	STAMPS & WATERMAR KS	STAMPS & WATERMAR K
36	Printing/scanning to/from a USB thumb/flash drive is included on each of the models	YES	YES	YES	YES	YES	NO
37	The scanning system for each Copier/MFD is configured to support common network user authorization,	YES	YES	YES	YES	YES	YES

	Authentication schemes and common directory protocols such as LDAP and native active directory. The processes are the same as those required by the users' network login e.g., user name and password						
38	A user's name can be added to the "From" field for further verification of the sender	No	No	No	No	No	No
39	Each Copier/MFD need to be programmed manually (remotely or otherwise) to incorporate each authorized user's email addresses	YES – Standard Feature. Advance programing to the fleet can be performed with PaperCut	YES – Standard Feature. Advance programing to the fleet can be performed with PaperCut	YES – Standard Feature. Advance programing to the fleet can be performed with PaperCut	YES – Standard Feature. Advance programing to the fleet can be performed with PaperCut	YES – Standard Feature. Advance programing to the fleet can be performed with PaperCut	YES – Standard Feature. Advance programing to the fleet can be performed with PaperCut
40	Each Copier/MFD allows scanned documents to be encrypted for security purposes.	YES	YES	YES	YES	YES	YES
41	Users can choose a scan file format available (e.g. PDF, TIFF, and JPEG) at the device based on an application and preference.	YES	YES	YES	YES	YES	YES
42	Users wishing to utilize the included scan-to-email function are authenticated	YES	YES	YES	YES	YES	YES
	The device can create text- searchable PDF	No, Advance	YES, Advance	YES, Advance	YES, Advance OCRing from	YES, Advance	YES, Advance

	files from scanned originals	OCRing	OCRing	OCRing	the server	OCRing	OCRing
	providing greater access to	from the	from the	from the	level can be	from the	from the
	documents archived in shared files,	server level	server level	server level	accomplishe	server level	server level
	folders, or future Electronic	can be	can be	can be	d with	can be	can be
43	Document Management Systems	accomplishe	accomplishe	accomplishe	PaperCut	accomplishe	accomplishe
	(EDMS) applications that the	d with	d with	d with		d with	d with
	COUNTY may implement	PaperCut	PaperCut	PaperCut		PaperCut	PaperCut
	Multiple pages can be scanned and	YES	YES	YES	YES	YES	YES
	either emailed or stored without						
	having to go back-and-forth						
	between the device and the PC						
44	workstation between each page						
	The scanning solution includes OCR	OCR Yes,	OCR Yes,	OCR Yes,	OCR Yes,	OCR Yes,	OCR Yes,
	software with advanced desktop	Advance	Advance	Advance	Advance	Advance	Advance
	layout analysis for editing, archiving	desktop	desktop	desktop	desktop	desktop	desktop
45	and sharing	software for	software for	software for	software for	software for	software for
		analysis for	analysis for	analysis for	analysis for	analysis for	analysis for
		editing,	editing,	editing,	editing,	editing,	editing,
		archiving	archiving	archiving	archiving can	archiving	archiving
		can be	can be	can be	be	can be	can be
		accomplishe	accomplishe	accomplishe	accomplishe	accomplishe	accomplishe
		d with	d with	d with	d with	d with	d with
		Nuance	Nuance	Nuance	Nuance	Nuance	Nuance
		Power PDF	Power PDF	Power PDF	Power PDF	Power PDF	Power PDF
	Walk-up Copier/MFD users have	NO	YES	YES	YES	YES	YES
	access to a full-size integrated						
46	QWERTY keyboard						
	Users can search for available	NO	YES,	YES,	YES, Network	YES,	YES,
47	network folders on the		Network	Network	List is	Network	Network
	Copier/MFD screen to determine		List is	List is	available	List is	List is
	where to send scanned documents		available	available	from the	available	available

			from the Panel display, For advance browsing & sub-folder navigation this can be accomplishe d with the optional KM SMB Connector	from the Panel display, For advance browsing & sub-folder navigation this can be accomplishe d with the optional KM SMB Connector	Panel display, For advance browsing & sub-folder navigation this can be accomplishe d with the optional KM SMB Connector	from the Panel display, For advance browsing & sub-folder navigation this can be accomplishe d with the optional KM SMB Connector	from the Panel display, For advance browsing & sub-folder navigation this can be accomplishe d with the optional KM SMB Connector
48	Color scanning capability is included on any of the monochrome models	CORRECT	CORRECT	CORRECT	CORRECT	CORRECT	CORRECT
49	The scanning system can support common network user authorization, Authentication schemes and common directory protocols such as LDAP. The processes are the same as those required by the users' network login e.g., user name and password A user's name can be added to the "From" field for further verification of the sender	YES	YES	YES	YES	YES	YES
50	The device allows scanned documents to be encrypted for security purposes	YES	YES	YES	YES	YES	YES

	The device allows for econsists	VEC I	VEC I	VEC 1	VEC 1	VEC 1	VEC 1
	The device allows for scanning to	YES, by					
	Electronic Document Management	scanning to	scanning to	scanning to	scanning to a	scanning to	scanning to
	Systems (EDMS) or Enterprise	a secure	a secure	a secure	secure	a secure	a secure
	Content Management (ECM)	network	network	network	network	network	network
51		folder for					
		EDMS	EDMS	EDMS	EDMS Import	EDMS	EDMS
		Import	Import	Import		Import	Import
	Users can scan to a Windows share	YES	YES	YES	YES	YES	YES
	location or to FTP (Internet transfer)						
52	on each Copier/MFD						
	The device can scan images into	YES, Via					
53	WYSIWIG web-based HTML files	WebDav	WebDav	WebDav	WebDav	WebDav	WebDav
		Protocol	Protocol	Protocol	Protocol	Protocol	Protocol
	The device allows a user to attach	This is not a					
	Document Management Fields	standard	standard	standard	standard	standard	standard
-	(e.g. date, name, file number) to the	feature but					
	document file for filing/retrieval	can be					
	and unique identification	accomplishe	accomplishe	accomplishe	accomplishe	accomplishe	accomplishe
54	(sometimes referred to as	d with					
	metadata); the metadata or	optional	optional	optional	optional	optional	optional
	indexing data can be automatically	software	software	software	software	software	software
	included in the scanning template	such as					
	workflow	еСору	еСору	еСору	еСору	еСору	еСору
		Embedded	Embedded	Embedded	Embedded	Embedded	Embedded
		or Nuance					
		Autostore	Autostore	Autostore	Autostore	Autostore	Autostore
	The maximum resolution of the	600dpi	600dpi	600dpi	600dpi	600dpi	600dpi
55	scanned image	•	•	-			
	Automatic de-speckling and de-	YES	YES	YES	YES	YES	YES
56	skewing of the scanned image						

57	The color depth of the scanned image	8Bit	8Bit	8Bit	8Bit	8Bit	8 Bit
58	The ability to scan to shared network folder	YES	YES	YES	YES	YES	YES
59	The ability to scan to an email address	YES	YES	YES	YES	YES	YES
	Email notifications will be sent	Standard	Standard	Standard	Standard	Standard	Standard
	automatically to the designated	feature	feature	feature	feature from	feature	feature
	facility key operator when units are	from the	from the	from the	the machine	from the	from the
	out of paper, out of toner or	machine	machine	machine	and with	machine	machine
	otherwise require key operator	and with	and with	and with	FMAudit	and with	and with
60	attention	FMAudit	FMAudit	FMAudit		FMAudit	FMAudit
	The finisher for each Copier/MFD is	NONE	ВОТН	ВОТН	вотн	External	External
61	internal or external to the device						
	A brief description of how prints,	NONE	WITH	WITH	WITH MULTI	WITH	WITH
	faxes (as applicable) and copies will		MULTI	MULTI	TRAYS	MULTI	MULTI
	be separated on the finisher and/or		TRAYS	TRAYS	THROUGH	TRAYS	TRAYS
62	exit trays of each Copier/MFD		THROUGH	THROUGH	THE SETTING	THROUGH	THROUGH
	model		THE	THE	ON THE	THE	THE
			SETTING ON	SETTING ON	COPIER	SETTING ON	SETTING ON
			THE COPIER	THE COPIER		THE COPIER	THE COPIER
	The finisher support 2-hole	NO	YES	YES	YES	YES	YES
	punching in addition to 3-hole						
63	punching (Segment 4a, 4b, 5 and 6 units only)						
64	The finisher offer subset stapling	NO	NO	NO	NO	NO	YES
	The item numbers and brand names	All Copier	All Copier	All Copier	All Copier	All Copier	All Copier
	for mailing labels and	and Laser	and Laser	and Laser	and Laser	and Laser	and Laser
65	transparencies that are compatible	Rated Avery	Rated Avery	Rated Avery	Rated Avery	Rated Avery	Rated Avery
	with units	Labels,	Labels,	Labels,	Labels,	Labels,	Labels,

		DI.	DI.		n.		
		Please see					
		attached	attached	attached	attached	attached	attached
		Approved	Approved	Approved	Approved	Approved	Approved
		Media	Media	Media	Media Guide	Media	Media
		Guide	Guide	Guide		Guide	Guide
	The units are able to run the	Labels can					
	transparency film and mailing labels	run through					
66	from all paper sources (drawers plus	all trays,					
	bypass), or if the paper sources are	Transparenc	Transparenc	Transparenc	Transparenc	Transparenc	Transparenc
	restricted when running this stock,	y's will need					
		to ran					
		through the					
		Bypass only					
	The name and version level of the	PCL, PS, FAX					
	print, fax and scan driver utilities	share the					
	(as applicable) that will be provided	same driver					
	to all workstation users to enable	package	package	package	package	package	package
	functional connectivity to each	version	version	version	version	version	version
67	model in each Equipment Segment	11.1.2.0	11.1.2.0	11.1.2.0	11.1.2.0	11.1.2.0	11.1.2.0
		WHQL	WHQL	WHQL	WHQL	WHQL	WHQL
	The name and version level of the	Konica	Konica	Konica	Konica	Konica	Konica
	device management utilities that is	Minolta	Minolta	Minolta	Minolta	Minolta	Minolta
	provided to each of the County	PageScope	PageScope	PageScope	PageScope	PageScope	PageScope
	Department's Information	Web	Web	Web	Web	Web	Web
	Technology (IT) staff members to	Connection	Connection	Connection	Connection	Connection	Connection
	monitor and control each model in	6.0.11	6.0.11	6.0.11	6.0.11	6.0.11	6.0.11
68	each Equipment Segment						
	The components or parts are	Toner	Toner,	Toner,	Toner,	Toner,	Toner,
	considered user-replaceable for		Staples &				
69	each model. Further, the		WASTE				
	approximate aggregate time						

	involvement to replace these		TONER	WASTE	WASTE	WASTE	WASTE
	components or parts per unit per		BOTTLE	TONER	TONER	TONER	TONER
	month			BOTTLE	BOTTLE	BOTTLE	BOTTLE
70	Email notifications will be sent automatically to the designated COUNTY key operator and the CONTRACTOR's assigned technicians via desktop or mobile device when each of the units are out of paper, out of toner or otherwise require	FM AUDIT	FM AUDIT	FM AUDIT	FM AUDIT	FM AUDIT	FM AUDIT
	key operator attention						
	The number of monochrome and	For Color	For Color	For Color	For Color	For Color	For Color
71	color impressions that will be billed	Copiers a 50	Copiers a 50	Copiers a 50	Copiers a 50	Copiers a 50	Copiers a 50
	if a user were to produce a 50-page	pages	pages	pages	pages duplex	pages	pages
	letter-size duplex printed document	duplex	duplex	duplex	would be	duplex	duplex
	containing five color pages (pages 1,	would be	would be	would be	100 total	would be	would be
	10, 11, 12 and 50)	100 total	100 total	100 total	pages, 95	100 total	100 total
		pages, 95	pages, 95	pages, 95	Pages of	pages, 95	pages, 95
		Pages of	Pages of	Pages of	B&W would	Pages of	Pages of
		B&W would	B&W would	B&W would	be billed and	B&W would	B&W would
		be billed	be billed	be billed	only 5 pages	be billed	be billed
		and only 5	and only 5	and only 5	will be	and only 5	and only 5
		pages will	pages will	pages will	charged for	pages will	pages will
		be charged	be charged	be charged	color.	be charged	be charged
		for color.	for color.	for color.		for color.	for color.