## EXHIBIT B-1.4

## COPIER/MFD SPECIFIC DEVICE FUNCTIONALITIES

## A. COPIER/MFD DEVICE FUNCTIONALITY RICOH - COLOR

| # | Segment   | 1                 | 2          | 3          | 4          | 5          | 6          |
|---|---|-------------------|------------|------------|------------|------------|------------|
|   | Device Model  | Ricoh IM<br>C2510 | IM C2510   | IM C3500   | IM C4500   | IM C6500   | IMC 8000   |
| 1 | NEMA plug<br>configuration type                                   | 5-15R             | 5-15R      | 5-15R      | 5-15R      | 5-20R      | 6-20R      |
| 2 | Brand and model of included power surge                           | N/A               | N/A        | N/A        | N/A        | N/A        | N/A        |
|   | protector (line conditioner)                                      |                   |            |            |            |            |            |
| 3 | Power consumption (running)                                       | 454w              | 454w       | 507w       | 533w       | 1.9kW      | 2.4kW      |
| 4 | Power consumption (idle)  | 45w               | 45w        | 47w        | 47w        | 195w       | 205w       |
| 5 | Power consumption (off)   | .54w              | .54w       | .53w       | .53w       | 1w         | 1.2w       |
| 6 | Energy reduction<br>Features                                      | Lowest TEC        | Lowest TEC | Lowest TEC | Lowest TEC | Lowest TEC | Lowest TEC |
| 7 | Does the model offer full-bleed letter and ledger –size printing? | No                | No         | No         | No         | No         | No         |

| 8  | Reduction in printing speed vs. rated copy per-minute speed (percentage basis) Material Safety Data Sheet (MSDS) included in RMC provided literature | None                       | None                       | None                       | None                       | None                       | None                       |
|----|--|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| 10 | Advance notice provided by the Copier/MFD before running out of toner  | Yes                        | Yes                        | Yes                        | Yes                        | Yes                        | Yes                        |
| 11 | Primary functions (i.e., copying, printing, faxing [as applicable] and scanning) that are able to be performed simultaneously                        | No copy & fax at same time |
| 12 | Print/copy jobs are not stored on the Copier/MFD's hard drive after printing   | Not stored                 |
| 13 | Page Description Language (PDL) compatibilities, including version numbers, are included   | Yes                        | Yes                        | Yes                        | Yes                        | Yes                        | Yes                        |

|    | in CONTRACTOR's              |           |                   |                   |           |           |           |
|----|------------------------------|-----------|-------------------|-------------------|-----------|-----------|-----------|
|    | pricing.                     |           |                   |                   |           |           |           |
|    | COUNTY's network             |           |                   |                   |           |           |           |
|    | and server                   |           |                   |                   |           |           |           |
|    | operating                    |           |                   |                   |           |           |           |
|    | system                       |           |                   |                   |           |           |           |
| 14 | compatibilities,             |           |                   |                   |           |           |           |
|    | including version            |           |                   |                   |           |           |           |
|    | numbers, are                 |           |                   |                   |           |           |           |
|    | included                     |           |                   |                   |           |           |           |
|    | in CONTRACTOR's              |           |                   |                   |           |           |           |
|    | pricing                      |           |                   |                   |           |           |           |
|    | Which walk-up                | All are   | All are available | All are available | All are   | All are   | All are   |
|    | copying, faxing or           | available |                   |                   | available | available | available |
|    | scanning features, if        |           |                   |                   |           |           |           |
| 4- | any, are not                 |           |                   |                   |           |           |           |
| 15 | available                    |           |                   |                   |           |           |           |
|    | to workstation users         |           |                   |                   |           |           |           |
|    | via the unit's print,<br>fax |           |                   |                   |           |           |           |
|    | and scan drivers?            |           |                   |                   |           |           |           |
|    | The maximum                  | 999 sec   | 999 sec           | 999 sec           | 999 sec   | 999 sec   | 999 sec   |
|    | Copier/MFD                   | 999 sec   | 333 SEC           | 333 Sec           | 999 sec   | 999 sec   | 333 Sec   |
| 16 | timeout period for           |           |                   |                   |           |           |           |
| 10 | walk-up users.               |           |                   |                   |           |           |           |
|    | The Copier/MFDs              | Yes       | Yes               | Yes               | Yes       | Yes       | Yes       |
|    | can be configured to         |           |                   |                   |           |           |           |
| 17 | securely hold all            |           |                   |                   |           |           |           |
|    | print jobs at the            |           |                   |                   |           |           |           |
|    | device until                 |           |                   |                   |           |           |           |

|    |                                       | 1   | I   | T   |     |     |     |
|----|---------------------------------------|-----|-----|-----|-----|-----|-----|
|    | released using a                      |     |     |     |     |     |     |
|    | userassigned                          |     |     |     |     |     |     |
|    | password number                       |     |     |     |     |     |     |
|    | (Secure Printing)                     |     |     |     |     |     |     |
|    | The Copier/MFD                        | Yes | Yes | Yes | Yes | Yes | Yes |
|    | print driver can be                   |     |     |     |     |     |     |
| 18 | defaulted to require                  |     |     |     |     |     |     |
|    | the use of the                        |     |     |     |     |     |     |
|    | Secure Print                          |     |     |     |     |     |     |
|    | function                              |     |     |     |     |     |     |
|    | Amount of included                    | 4GB | 4GB | 4GB | 4GB | 4GB | 4GB |
|    | RAM memory                            |     |     |     |     |     |     |
| 19 | dedicated for the                     |     |     |     |     |     |     |
|    | copier, fax (as                       |     |     |     |     |     |     |
|    | applicable), scanner                  |     |     |     |     |     |     |
|    | and printer                           |     |     |     |     |     |     |
|    | functions                             |     |     |     |     |     |     |
|    | The maximum                           | 3   | 3   | 3   | 3   | 3   | 3   |
|    | number of fax lines                   |     |     |     |     |     |     |
| 20 | that each installed                   |     |     |     |     |     |     |
|    | Copier/MFD can                        |     |     |     |     |     |     |
|    | accommodate                           |     |     |     |     |     |     |
|    | Each of the installed                 | Yes | Yes | Yes | Yes | Yes | Yes |
|    | model is set from                     | 103 | 103 | 103 | 163 | 163 | 103 |
|    | the factory to                        |     |     |     |     |     |     |
| 21 | default to copier                     |     |     |     |     |     |     |
|    | functionality as                      |     |     |     |     |     |     |
|    | the priority                          |     |     |     |     |     |     |
|    | · · · · · · · · · · · · · · · · · · · |     |     |     |     |     |     |
|    | document imaging                      |     |     |     |     |     |     |
|    | mode                                  |     |     |     |     |     |     |
|    |                                       |     |     |     |     |     |     |

| 22 | Each color-capable Copier/MFD will be set from the factory to default to monochrome functionality as the priority document imaging mode for both walk-up copy, scanning and print- driver users  | Yes | Yes | Yes | Yes | Yes | Yes |
|----|--|-----|-----|-----|-----|-----|-----|
| 23 | Monochrome-only print drivers can be made available for users of the color-capable Copier/MFDs. Although this functionality is available, vendor will eliminate from the drivers and the Copier/MFD touch screen panels any mention of a Color-Only copying/printing mode. | Yes | Yes | Yes | Yes | Yes | Yes |
| 24 | Two-sided one-pass scanning (i.e.,   | Yes | Yes | Yes | Yes | Yes | Yes |

|    | "simultaneous" or "perfect" scanning) capability included   | V   | . Was | Vac | Vac | Vac | Vec |
|----|---|-----|-------|-----|-----|-----|-----|
| 25 | Stack-feed bypass<br>tray capable of<br>feeding multiple #10<br>envelopes   | Yes | Yes   | Yes | Yes | Yes | Yes |
| 26 | The model can print out the internal user/departmental tracking data  | Yes | Yes   | Yes | Yes | Yes | Yes |
| 27 | The internal user/departmental tracking data can be transmitted electronically via an included copy/print tracking and billing solution to the CONTRACTOR | Yes | Yes   | Yes | Yes | Yes | Yes |
| 28 | Printing can be controlled and tracked via the copy/print tracking and billing solution provided by the CONTRACTOR  | Yes | Yes   | Yes | Yes | Yes | Yes |
| 29 | Copy tracking data can be listed separately from print tracking data  | Yes | Yes   | Yes | Yes | Yes | Yes |

|    | for each user or department being tracked by the copy/print tracking and billing solution   |   |  |   |  |  |  |
|----|---|---|--|---|--|--|--|
| 30 | The internal tracking codes can be submitted electronically to the copy/print tracking and billing solution on a prescribed day each month      | Yes   | Yes  | Yes   | Yes  | Yes  | Yes  |
| 31 | User identification codes can be set up globally for all devices and/or on individual devices from a remote location                            | Yes   | Yes  | Yes   | Yes  | Yes  | Yes  |
| 32 | A brief description of the most efficient method of installing device print, fax and scan driver software for each model on COUNTY workstations | Executable<br>file can be<br>used to<br>auto install<br>drivers | Executable file<br>can be used to<br>auto install<br>drivers | Executable file can be used to auto install drivers | Executable<br>file can be<br>used to auto<br>install drivers | Executable<br>file can be<br>used to auto<br>install drivers | Executable<br>file can be<br>used to auto<br>install drivers |
| 33 | Banner sheets can be automatically  | Yes   | Yes  | Yes   | Yes  | Yes  | Yes  |

|    | programmed to be pulled from a different (color) paper source than for the print job itself   |     |     |     |     |     |     |
|----|---|-----|-----|-----|-----|-----|-----|
| 34 | Banner sheets between print jobs can be programmed with the network user's name and/or other identifier so jobs from multiple distant users can more easily be located in high- volume environments | Yes | Yes | Yes | Yes | Yes | Yes |
| 35 | The Copier/MFD model offers embedded Bates Stamping capabilities  | No  | No  | No  | No  | Yes | Yes |
| 36 | Printing/scanning<br>to/from a USB<br>thumb/flash drive is<br>included on each of<br>the models   | Yes | Yes | Yes | Yes | Yes | Yes |
| 37 | The scanning system for each Copier/MFD is  | Yes | Yes | Yes | Yes | Yes | Yes |

|    | configured to        |     |     |     |     |     |     |
|----|----------------------|-----|-----|-----|-----|-----|-----|
|    | configured to        |     |     |     |     |     |     |
|    | support common       |     |     |     |     |     |     |
|    | network user         |     |     |     |     |     |     |
|    | authorization,       |     |     |     |     |     |     |
|    | authentication       |     |     |     |     |     |     |
|    | schemes and          |     |     |     |     |     |     |
|    | common directory     |     |     |     |     |     |     |
|    | protocols such as    |     |     |     |     |     |     |
|    | LDAP and native      |     |     |     |     |     |     |
|    | active directory.    |     |     |     |     |     |     |
|    | The processes are    |     |     |     |     |     |     |
|    | the same as those    |     |     |     |     |     |     |
|    | required by the      |     |     |     |     |     |     |
|    | users' network login |     |     |     |     |     |     |
|    | e.g., user name and  |     |     |     |     |     |     |
|    | password             |     |     |     |     |     |     |
|    | A user's name can    | Yes | Yes | Yes | Yes | Yes | Yes |
|    | be added to the      |     |     |     |     |     |     |
| 38 | "From" field for     |     |     |     |     |     |     |
|    | further verification |     |     |     |     |     |     |
|    | of the sender        |     |     |     |     |     |     |
|    | Each Copier/MFD      | Yes | Yes | Yes | Yes | Yes | Yes |
|    | need to be           |     |     |     |     |     |     |
|    | programmed           |     |     |     |     |     |     |
| 39 | manually             |     |     |     |     |     |     |
|    | (remotely or         |     |     |     |     |     |     |
|    | otherwise)           |     |     |     |     |     |     |
|    | to incorporate each  |     |     |     |     |     |     |
|    | authorized user's    |     |     |     |     |     |     |
|    | email addresses      |     |     |     |     |     |     |
|    |                      |     |     |     |     |     |     |
| L  |                      | ı   | 1   | l . | 1   | l . | l   |

|     | Each Copier/MFD                       | Yes | Yes | Yes | Yes | Yes | Yes |
|-----|---------------------------------------|-----|-----|-----|-----|-----|-----|
|     | allows scanned                        | 103 | 103 | 103 | 163 | 163 | 103 |
| 40  | documents to be                       |     |     |     |     |     |     |
| 40  | encrypted for                         |     |     |     |     |     |     |
|     | security purposes.                    |     |     |     |     |     |     |
|     | Users can choose a                    | Yes | Yes | Yes | Yes | Yes | Yes |
|     | scan file format                      | 163 | 163 | 163 | 163 | 163 | 163 |
|     | available (e.g. PDF,                  |     |     |     |     |     |     |
| 41  |                                       |     |     |     |     |     |     |
| 41  | the device based on                   |     |     |     |     |     |     |
|     | an application and                    |     |     |     |     |     |     |
|     | I                                     |     |     |     |     |     |     |
|     | preference.                           | Yes | Yes | Yes | Yes | Yes | Yes |
|     | Users wishing to utilize the included | 165 | 165 | 162 | 165 | 165 | 162 |
| 42  | scan-to-email                         |     |     |     |     |     |     |
| 42  |                                       |     |     |     |     |     |     |
|     | function are                          |     |     |     |     |     |     |
|     | authenticated                         |     | V   | W   | W   | W   | W   |
|     | The device can                        | Yes | Yes | Yes | Yes | Yes | Yes |
|     | create text-                          |     |     |     |     |     |     |
|     | searchable PDF                        |     |     |     |     |     |     |
|     | files from scanned                    |     |     |     |     |     |     |
|     | originals providing                   |     |     |     |     |     |     |
| 4.0 | greater access to                     |     |     |     |     |     |     |
| 43  | documents archived                    |     |     |     |     |     |     |
|     | in shared files,                      |     |     |     |     |     |     |
|     | folders, or future                    |     |     |     |     |     |     |
|     | Electronic                            |     |     |     |     |     |     |
|     | Document                              |     |     |     |     |     |     |
|     | Management                            |     |     |     |     |     |     |
|     | Systems (EDMS)                        |     |     |     |     |     |     |

|    | applications that the COUNTY may implement   |        |        |        |        |        |        |
|----|--|--------|--------|--------|--------|--------|--------|
| 44 | Multiple pages can be scanned and either emailed or stored without having to go back-and-forth between the device and the PC workstation between each page | Yes    | Yes    | Yes    | Yes    | Yes    | Yes    |
| 45 | The scanning solution includes OCR software with advanced desktop layout analysis for editing, archiving and sharing                                       | Option | Option | Option | Option | Option | Option |
| 46 | Walk-up Copier/MFD users have access to a full-size integrated QWERTY keyboard   | Option | Option | Option | Option | Option | Option |
| 47 | Users can search for available network folders on the  | Yes    | Yes    | Yes    | Yes    | Yes    | Yes    |

| 48 | Copier/MFD screen to determine where to send scanned documents Color scanning capability is included on any of the monochrome models   | Yes | Yes | Yes | Yes | Yes | Yes |
|----|--|-----|-----|-----|-----|-----|-----|
| 49 | The scanning system can support common network user authorization, authentication schemes and common directory protocols such as LDAP. The processes are the same as those required by the users' network login e.g., user name and password A user's name can be added to the "From" field for further verification of the sender | Yes | Yes | Yes | Yes | Yes | Yes |
| 50 | The device allows scanned documents to be encrypted for  | Yes | Yes | Yes | Yes | Yes | Yes |

|    | security purposes      |     |     |     |     |     |     |
|----|------------------------|-----|-----|-----|-----|-----|-----|
|    | The device allows      | Yes | Yes | Yes | Yes | Yes | Yes |
|    | for scanning to        |     |     |     |     |     |     |
|    | Electronic             |     |     |     |     |     |     |
|    | Document               |     |     |     |     |     |     |
| 51 | Management             |     |     |     |     |     |     |
|    | Systems (EDMS) or      |     |     |     |     |     |     |
|    | Enterprise Content     |     |     |     |     |     |     |
|    | Management (ECM)       |     |     |     |     |     |     |
|    | Users can scan to a    | Yes | Yes | Yes | Yes | Yes | Yes |
|    | Windows share          |     |     |     |     |     |     |
| 52 | location or to FTP     |     |     |     |     |     |     |
|    | (Internet transfer)    |     |     |     |     |     |     |
|    | on each                |     |     |     |     |     |     |
|    | Copier/MFD             |     |     |     |     |     |     |
|    | The device can scan    | No  | No  | No  | No  | No  | No  |
| 53 | images into            |     |     |     |     |     |     |
|    | WYSIWIG web-           |     |     |     |     |     |     |
|    | based HTML files       |     |     |     |     |     |     |
|    | The device allows a    | No  | No  | No  | No  | No  | No  |
|    | user to attach         |     |     |     |     |     |     |
|    | Document               |     |     |     |     |     |     |
|    | Management Fields      |     |     |     |     |     |     |
|    | (e.g. date, name, file |     |     |     |     |     |     |
| 54 | number) to the         |     |     |     |     |     |     |
|    | document file for      |     |     |     |     |     |     |
|    | filing/retrieval and   |     |     |     |     |     |     |
|    | unique                 |     |     |     |     |     |     |
|    | identification         |     |     |     |     |     |     |
|    | (sometimes referred    |     |     |     |     |     |     |
|    | to as metadata); the   |     |     |     |     |     |     |

|    | metadata or           |          |                 |          |          |          |          |
|----|-----------------------|----------|-----------------|----------|----------|----------|----------|
|    | indexing data can be  |          |                 |          |          |          |          |
|    | automatically         |          |                 |          |          |          |          |
|    | included in the       |          |                 |          |          |          |          |
|    | scanning template     |          |                 |          |          |          |          |
|    | workflow              |          |                 |          |          |          |          |
|    | The maximum           | 600      | 600             | 600      | 600      | 600      | 600      |
| 55 | resolution of the     |          |                 |          |          |          |          |
|    | scanned image         |          |                 |          |          |          |          |
|    | Automatic de-         | With OCR | With OCR option | With OCR | With OCR | With OCR | With OCR |
| 56 | speckling and de-     | option   |                 | option   | option   | option   | option   |
|    | skewing of the        |          |                 |          |          |          |          |
|    | scanned image         |          |                 |          |          |          |          |
| 57 | The color depth of    | TBD      | TBD             | TBD      | TBD      | TBD      | TBD      |
|    | the scanned image     |          |                 |          |          |          |          |
|    | The ability to scan   | Yes      | Yes             | Yes      | Yes      | Yes      | Yes      |
| 58 | to shared network     |          |                 |          |          |          |          |
|    | folder                |          |                 |          |          |          |          |
| 59 | The ability to scan   | Yes      | Yes             | Yes      | Yes      | Yes      | Yes      |
|    | to an email address   |          |                 |          |          |          |          |
|    | Email notifications   | Yes      | Yes             | Yes      | Yes      | Yes      | Yes      |
|    | will be sent          |          |                 |          |          |          |          |
|    | automatically         |          |                 |          |          |          |          |
|    | to the designated     |          |                 |          |          |          |          |
|    | facility key operator |          |                 |          |          |          |          |
| 60 | when units are out    |          |                 |          |          |          |          |
|    | of paper, out of      |          |                 |          |          |          |          |
|    | toner or otherwise    |          |                 |          |          |          |          |
|    | require key           |          |                 |          |          |          |          |
|    | operator attention    |          |                 |          |          |          |          |
|    |                       |          |                 |          |          |          |          |

| 61 | The finisher for each Copier/MFD is | Yes     | Yes          | Yes          | Yes          | External     | External     |
|----|-------------------------------------|---------|--------------|--------------|--------------|--------------|--------------|
|    | internal or external to the device  |         |              |              |              |              |              |
|    | A brief description                 | User    | User defined |
|    | of how prints, faxes                | defined | Oser defined |
|    | (as applicable) and                 | defined |              |              |              |              |              |
| 62 | copies will be                      |         |              |              |              |              |              |
| 02 | separated on the                    |         |              |              |              |              |              |
|    | finisher and/or exit                |         |              |              |              |              |              |
|    | trays of each                       |         |              |              |              |              |              |
|    | Copier/MFD model                    |         |              |              |              |              |              |
|    | The finisher support                | Yes     | Yes          | Yes          | Yes          | Yes          | Yes          |
|    | 2-hole punching in                  |         |              |              |              |              |              |
| 63 | addition to 3-hole                  |         |              |              |              |              |              |
|    | punching (Segment                   |         |              |              |              |              |              |
|    | 4a, 4b, 5 and 6 units               |         |              |              |              |              |              |
|    | only)                               |         |              |              |              |              |              |
| 64 | The finisher offer                  | No      | No           | No           | No           | No           | No           |
|    | subset stapling                     |         |              |              |              |              |              |
|    | The item numbers                    |         |              |              |              |              |              |
|    | and brand names                     |         |              |              |              |              |              |
| 65 | for mailing labels                  |         |              |              |              |              |              |
|    | and transparencies                  |         |              |              |              |              |              |
|    | that are compatible                 |         |              |              |              |              |              |
|    | with units                          |         |              |              |              |              |              |
|    | The units are able to               | Yes     | Yes          | Yes          | Yes          | Yes          | Yes          |
|    | run the                             |         |              |              |              |              |              |
| 66 | transparency                        |         |              |              |              |              |              |
|    | film and mailing                    |         |              |              |              |              |              |
|    | labels from all paper               |         |              |              |              |              |              |

| ources (drawers   |  |   |                 |   |   |  |
|---|--|---|-----------------|---|---|--|
| •   |  |   |                 |   |   |  |
|   |  |   |                 |   |   |  |
|   |  |   |                 |   |   |  |
|   |  |   |                 |   |   |  |
|   |  |   |                 |   |   |  |
|   |  |   |                 |   |   |  |
|   |  |   |                 |   |   | PCL6 for   |
| ersion level of the   | universal  | universal print   | universal print | universal   | universal   | universal  |
| rint, fax and scan  | print v4.5   | v4.5  | v4.5            | print v4.5  | print v4.5  | print v4.5   |
| river utilities   |  |   |                 |   |   |  |
| as applicable) that   |  |   |                 |   |   |  |
| vill be provided to   |  |   |                 |   |   |  |
| ll workstation  |  |   |                 |   |   |  |
| sers to enable  |  |   |                 |   |   |  |
| unctional   |  |   |                 |   |   |  |
| onnectivity to each   |  |   |                 |   |   |  |
| nodel in each   |  |   |                 |   |   |  |
| quipment Segment  |  |   |                 |   |   |  |
| he name and   | TBD  | TBD   | TBD             | TBD   | TBD   | TBD  |
| ersion level of the   |  |   |                 |   |   |  |
| evice management  |  |   |                 |   |   |  |
| tilities that is  |  |   |                 |   |   |  |
| rovided to each   |  |   |                 |   |   |  |
|   |  |   |                 |   |   |  |
| •   |  |   |                 |   |   |  |
| nformation  |  |   |                 |   |   |  |
|   |  |   |                 |   |   |  |
| nembers to  |  |   |                 |   |   |  |
| nonitor and control   |  |   |                 |   |   |  |
|   |  |   |                 |   |   |  |
|   |  |   |                 |   |   |  |
| il in cie ultre intra vil is u con cit e lettinitorne on ne | river utilities s applicable) that ill be provided to I workstation sers to enable inctional onnectivity to each odel in each quipment Segment ne name and ersion level of the evice management cilities that is rovided to each the County epartment's formation echnology (IT) staff embers to | us bypass), r if the paper ources are estricted when inning this stock, ne name and ersion level of the rint, fax and scan river utilities s applicable) that ill be provided to I workstation sers to enable inctional onnectivity to each odel in each quipment Segment ne name and ersion level of the evice management cilities that is rovided to each of the County epartment's formation echnology (IT) staff embers to onitor and control ach model in each | us bypass),     | us bypass), r if the paper curces are estricted when anning this stock, ne name and ersion level of the rint, fax and scan river utilities s applicable) that ill be provided to I workstation ers to enable anctional connectivity to each odel in each quipment Segment ne name and ersion level of the evice management cilities that is rovided to each if the County epartment's formation echnology (IT) staff embers to onitor and control ach model in each | us bypass), If the paper burces are estricted when inning this stock, In en ame and ersion level of the inctional innectivity to each odel in each evice management illities that is rovided to each of the evice management is formation exchnology (IT) staff embers to onitor and control ach model in each outcome and control ach model in | us bypass), if the paper purces are stricted when inning this stock, he name and ersion level of the init, fax and scan river utilities as applicable) that ill be provided to I workstation sers to enable inctional nename and ersion level of the vice with the paper print v4.5  TBD  TBD  TBD  TBD  TBD  TBD  TBD  TB |

|    | The components or parts are considered | Toner | Toner | Toner | Toner | Toner | Toner |
|----|--|-------|-------|-------|-------|-------|-------|
|    | user-replaceable for                   |       |       |       |       |       |       |
|    | each model.                            |       |       |       |       |       |       |
|    | Further, the                           |       |       |       |       |       |       |
|    | approximate                            |       |       |       |       |       |       |
|    | aggregate time                         |       |       |       |       |       |       |
| 69 | involvement to                         |       |       |       |       |       |       |
|    | replace these                          |       |       |       |       |       |       |
|    | components or                          |       |       |       |       |       |       |
|    | parts per unit per                     |       |       |       |       |       |       |
|    | month                                  |       |       |       |       |       |       |
|    | Email notifications                    | Yes   | Yes   | Yes   | Yes   | Yes   | Yes   |
|    | will be sent                           |       |       |       |       |       |       |
|    | automatically                          |       |       |       |       |       |       |
|    | to the designated                      |       |       |       |       |       |       |
|    | COUNTY key                             |       |       |       |       |       |       |
|    | operator and the                       |       |       |       |       |       |       |
| 70 | CONTRACTOR's                           |       |       |       |       |       |       |
|    | assigned technicians                   |       |       |       |       |       |       |
|    | via desktop or                         |       |       |       |       |       |       |
|    | mobile device when                     |       |       |       |       |       |       |
|    | each of the units are                  |       |       |       |       |       |       |
|    | out of paper, out of                   |       |       |       |       |       |       |
|    | toner or otherwise                     |       |       |       |       |       |       |
|    | require key                            |       |       |       |       |       |       |
|    | operator attention                     |       |       |       |       |       |       |
|    | The number of                          |       |       |       |       |       |       |
| 71 | monochrome and                         |       |       |       |       |       |       |
|    | color impressions                      |       |       |       |       |       |       |

| that will be billed if a user were to produce a 50-page letter-size duplex printed document containing five color pages (pages 1, 10, 11, 12 and 50) |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |