



LICENSE FOR NONFEDERAL USE OF DEPARTMENT OF THE NAVY REAL PROPERTY		ALL CORRESPONDENCE MUST REFERENCE:	
THIS LICENSE TO USE THE U.S. GOVERNMENT PROPERTY HEREIN DESCRIBED IS ISSUED BY THE DEPARTMENT OF THE NAVY TO THE LICENSEE NAMED BELOW FOR THE PURPOSE HEREIN SPECIFIED UPON THE TERMS AND CONDITIONS SET FORTH BELOW AND IN THE ATTACHED GENERAL PROVISIONS. BY ITS EXECUTION, THE LICENSEE AGREES TO COMPLY WITH ALL THOSE TERMS, CONDITIONS, AND GENERAL PROVISIONS.		LICENSE (CONTRACT) NO: N4769226RP26P11	
2. PROPERTY LOCATION (<i>Installation Name and Address</i>) Former Concord Naval Weapons Station		3. DATES COVERED FROM: 1 Jun 2026 THROUGH: 31 May 2027 Provided Licensee has delivered the required insurance certificates to the Licensor.	
4. DESCRIPTION OF PREMISES (<i>Room and building numbers where appropriate</i>) The Licensed Premises, as shown on Exhibit "A" and "A-1" attached hereto and made a part hereof.			
5. PURPOSE AND USE AUTHORIZED (<i>Specific use, times and recurring/part-time basis, and land use controls</i>) To authorize the Licensee and its Sub-licensees use of the streets, buildings and structures within the Administration Area to conduct public safety training.			
6. LICENSOR UNITED STATES OF AMERICA BY THE SECRETARY OF THE NAVY		6a. NAVY/USMC LOCAL REPRESENTATIVE (<i>Name, Title, Address, Telephone, Email</i>) BRAC Program Management Office West 33000 Nixie Way, Bldg 50 Attn: Tim Yonce San Diego, CA 92147 Email: timothy.t.yonce.civ@us.navy.mil/ (843) 963-8795	
7. LICENSEE (<i>Name, Address, Telephone Email</i>) Contra Costa County - Office of the Sheriff 1980 Muir Drive Martinez, CA 94553		7a. LOCAL REPRESENTATIVE OF LICENSEE (<i>Name, Title, Address, Telephone, Email</i>) Tasha Thaxton (925) 957-2457/ tasha.thaxton@pw.cccounty.us	
8. CASH PAYMENT BY LICENSEE - DUE IN ADVANCE			
a. AMOUNT (<i>Each payment</i>) NONE	b. FREQUENCY PAYMENTS DUE N/A	c. FIRST DUE DATE N/A	d. SEND PAYMENT TO: (<i>Name and Mailing Address</i>) N/A
9. EXHIBITS: The following are attached and incorporated into this License – A and A-1. MAP OF LICENSED PREMISES B. GENERAL PROVISIONS C. SPECIAL PROVISIONS D. PROHIBITED ACCESS AREA E. BICYCLE STORAGE AREA F. SIMUNITION MSDS G. GROUNDWATER MONITORING WELL SITES			
10. EXECUTION OF LICENSE			
FOR THE SECRETARY OF THE NAVY	NAME: TIMOTHY T. YONCE Real Estate Contracting Officer	SIGNATURE:	DATE:
	NAME, ADDRESS AND EMAIL OF NAVFAC REAL ESTATE POINT OF CONTACT: Tim Yonce, BRAC, 33000 Nixie Way, Bldg 50, San Diego, CA 92147, timothy.t.yonce.civ@us.navy.mil		
LICENSEE I represent that I am authorized to bind Licensee	NAME: JAD KEILEH Chief of Management Services	SIGNATURE:	DATE:

Exhibit A
N4769226RP26P11



 - Licensed Premises



○ Buildings available for training

EXHIBIT B

GENERAL PROVISIONS TO LICENSE FOR NON-FEDERAL USE OF REAL PROPERTY

1. USE OF AND ACCESS BY LICENSEE. The Licensor grants to the Licensee the right to use the premises or facilities described in block 4 and **Exhibit "A"** ("Premises"), together with the necessary rights of ingress and egress authorized by the Installation Commanding Officer. ~~The Licensee and its invitees and contractors agree to absorb all costs, including time and expense, associated with gaining access to the Installation under the RAPIDGATE or similar program. Any parking that accompanies the use of, and any routes of access to and from, the Premises are subject to change at the sole discretion of the Installation Commanding Officer.~~
2. TERM. This License shall be effective for the period stated in block 3 and is revocable at any time without notice at the option and discretion of the Licensor or its authorized representative.
3. USE OF PREMISES. The use of the Premises shall be limited to the purposes specified in block 5, and no other.
4. ASSIGNMENT/TRANSFER OF RIGHTS. This License is neither assignable nor transferable by the Licensee. This license does not grant exclusive use or control of the licensed premises and grants no interest in the real property of the Licensor.
5. UTILITIES AND SERVICES. If utilities and services are furnished to the Premises, the Licensee agrees to reimburse the Licensor for the cost as determined by the Licensor in accordance with applicable statutes and regulations.

Reimbursement for Utilities and Services			
Amount <i>(Each Payment)</i>	Frequency Payments Due	First Due Date	To <i>(Mailing Address)</i>
N/A	N/A	N/A	N/A
Utilities / Services Furnished Are: <input type="checkbox"/> Electricity <input type="checkbox"/> Gas/Oil <input type="checkbox"/> Telephone <input type="checkbox"/> None <input type="checkbox"/> Water/Sewer <input type="checkbox"/> Other: <input type="checkbox"/> HVAC/ Steam Heat <input type="checkbox"/> Garbage/Refuse/Recycling			

6. PROTECTION AND MAINTENANCE OF PREMISES. The Licensee, at its own cost and expense, shall protect, maintain, and keep the Premises under its control in good order. Licensee is responsible for repairing any damage to the Premises caused by Licensee, or its agents, employees, contractors, guests or invitees.
7. IMPROVEMENTS AND RESTORATION. No additions to, or alterations of, the Premises shall be made without the prior consent of the Licensor. Upon revocation or surrender of this License, to the extent directed by the Licensor, the Licensee shall remove all alterations, additions, betterments and improvements made, or installed, and restore the Premises to the same or as good condition as existed on the date of entry under this License, reasonable wear and tear excepted.
8. INDEMNIFICATION.
 - a. The Licensee releases the Licensor and its employees from liability for death or injury to persons at the Premises.
 - b. The Licensee, to the extent allowed by law, agrees to release and hold the Licensor and its employees harmless from, and to indemnify and defend them against, loss or damage to property caused by or arising from its use of the Premises, regardless of any contributory fault of the Licensor.
 - c. The Licensee shall indemnify and save harmless the Licensor, its officers, agents, servants and employees from, and defend it and them against, all liability under the Federal Tort Claims Act (28 U.S.C. §§ 2671 and 2680) or otherwise, for death or injury to all persons, or loss or damage to the property of all persons resulting from its use of the Premises.

EXHIBIT B

GENERAL PROVISIONS TO LICENSE FOR NON-FEDERAL USE OF REAL PROPERTY

d. The Licensee agrees that the Licensor, its officers, agents and employees shall be released from all liability on all suits, claims, actions or demands in any way related to or arising under the Licensee’s use of the property. This release includes, but is not limited to, all environmental suits, claims, and enforcement actions, whether arising during the Licensee’s construction on or use of the property, or after such use has ended.

9. INSURANCE. The Licensee shall procure and keep continuously in effect during the term of this License the insurance required as follows on terms and conditions satisfactory to the Licensor, with an insurer whose rating is acceptable to the Licensor.

Insurance Required from Licensee (If any or all insurance requirements have been waived, enter “None” as appropriate)			
Type	Amount (Per Occurrence)	Type	Amount (Per State Law)
Commercial General Liability (Occurrence Policy Only)	\$2,000,000	Worker’s Compensation	
Bodily Injury (Single Limit)	\$3,000,000		
Property Damage	\$2,000,000		
Fire/Legal Liability	\$2,000,000		
Deductible	N/A		

- Licensor shall be named as additional insured.
- The insurer must be authorized to write insurance in the state where the Premises is located.
- Proceeds of policies shall be made payable to “Treasurer of the United States”.
- Each policy of insurance covering bodily injuries and third party property damage shall contain an endorsement waiving the insurer’s right of subrogation against the United States of America.
- No cancellation, reduction in amount, or material change in coverage shall be effective until at least sixty (60) days after receipt by the Licensor of written notice.
- Notwithstanding the foregoing, any cancellation of insurance coverage based on nonpayment of the premium shall be effective only upon thirty (30) days’ written notice to the Licensor.
- The Licensee shall provide proof of insurance to the Licensor throughout the term of this License.

The Licensee will not be allowed entry on the Premises until it first delivers a certificate or certificates of required insurance to the Licensor.

10. DAMAGE TO THE PREMISES.

a. In the event of damage, including damage by contamination, to any Government property by the Licensee, its officers, agents, servants, employees, or invitees, the Licensee, at the election of the Licensor, shall promptly repair, replace, or make monetary compensation for the repair or replacement of that property to the satisfaction of the Licensor. That obligation includes any damage discovered from the physical condition and environmental condition inspections notwithstanding the expiration or earlier termination or revocation of this License.

b. In the event that any item or part of the Premises shall require repair, rebuilding or replacement (collectively, “repair”) resulting from loss or damage, the risk of which is assumed under this License, the Licensee shall promptly give notice to the Licensor and, to the extent of its liability as provided in this paragraph, shall either compensate the Licensor for any loss or damage within thirty (30) days of receipt of a statement, or repair the lost or damaged item or items of the Premises, as the Licensor may elect. If the cost of repair exceeds the liability of the Licensee for any loss or damage, the Licensee shall effect the repair if required to do so by the Licensor, and the excess of cost shall be reimbursed to the Licensee by the Licensor within thirty (30) days of receipt of a statement provided that appropriations are available for that purpose. In the event the Licensee shall have effected any repair that the Licensee is required to effect, the Licensor shall direct payment to the Licensee of so much of the proceeds of any

EXHIBIT B

GENERAL PROVISIONS TO LICENSE FOR NON-FEDERAL USE OF REAL PROPERTY

insurance carried by the Licensee and made available to the Licensor on account of loss of or damage to any item or part of the Premises that may be necessary to enable the Licensee to effect the repair. In the event the Licensee shall not have been required to effect the repair, and the insurance proceeds allocable to the loss or damage that has created the need for the repair have been paid to the Licensee, the Licensee shall promptly refund to the Licensor the amount of the proceeds.

11. OFFICIALS NOT TO BENEFIT. No member of, or Delegate to Congress, or Resident Commissioner shall be admitted to any share or part of this License or to any benefit that may arise from it; but this provision shall not be construed to extend to this License if made with a corporation for its general benefit.

12. COVENANT AGAINST CONTINGENT FEES. The Licensee warrants that it has not employed any person to solicit or obtain this License upon any agreement for a commission, percentage, brokerage or contingent fee. Breach of this warranty shall give the Licensor the right to annul this License or in its discretion to recover from the Licensee the amount of that commission, percentage, brokerage or contingent fee in addition to the consideration for this license. This warranty shall not apply to commissions payable by the Licensee upon contracts or sales obtained or made through *bona fide* established commercial or selling agencies maintained by the Licensee for the purpose of acquiring business.

13. NON-DISCRIMINATION. In connection with the performance of work under this License, the Licensee agrees not to discriminate against any employee or applicant for employment because of race, religion, color, sex, sexual orientation, gender identity, or national origin. Non-discrimination shall include, but not be limited to, the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The Licensee agrees to post in conspicuous places available for employees and applicants for employment, notices to be provided by the Licensor setting forth the provisions of the nondiscrimination clause. The Licensee further agrees to insert the foregoing provision in all subcontracts for work under this License, except subcontracts for standard commercial supplies or raw materials.

14. APPLICABLE RULES AND REGULATIONS.

a. All activities authorized under this License shall be subject to rules and regulations regarding supervision or otherwise, that may, from time to time, be prescribed by the local representative of the Licensor.

b. Upon request, the Licensee shall submit to the Licensor evidence of compliance with local, state, and Federal environmental laws and regulations.

15. FEDERAL FUNDS. This License does not obligate the Licensor to expend any appropriated funds. Nothing in this License is intended or should be interpreted to require any obligation or expenditure of funds in violation of the Anti-Deficiency Act (31 U.S.C. § 1341).

16. STORAGE OF TOXIC OR HAZARDOUS CHEMICALS. Storage, treatment, or disposal of toxic or hazardous materials on the Premises is prohibited except as authorized by the Licensor in accordance with 10 U.S.C. § 2692. Any hazardous materials that the Licensor authorizes the storage, treatment, or disposal of in connection with the use of the Premises shall be identified on a Hazardous Materials List and made a part of this License. Any such approved storage, treatment, or disposal of toxic or hazardous material by Licensee on the Premises shall be strictly limited to that material required or generated in connection with the authorized and compatible use of the Premises and shall be conducted in a manner consistent with the best interest of national defense as determined by the Secretary of the Navy and applicable law and regulations. As and to the extent caused by or attributable to the Licensee, Licensee shall have continued financial and environmental responsibility or liability for any and all direct or indirect consequences of the storage, treatment, or disposal of toxic or hazardous material within the Premises. Licensee will manage, control and dispose of its hazardous waste and hazardous materials in accordance with Federal, state, and local laws. In addition, Licensee shall implement the environmental requirements of applicable facility plans including but not limited to Spill Plans, Emergency Response Plans, and Hazardous Waste Management Plans. In the event the

EXHIBIT B

GENERAL PROVISIONS TO LICENSE FOR NON-FEDERAL USE OF REAL PROPERTY

Licensor approves the storage, treatment, or disposal of toxic or hazardous materials, the Licensee shall obtain insurance or post a bond in an amount sufficient to cover possible cleanup costs.

~~17. ENVIRONMENTAL CONDITION OF PREMISES. Exhibit "C", Environmental Condition of Property, sets forth the existing environmental condition of the Premises as represented by a baseline survey conducted by the Licensor. Licensee is hereby made aware of the notifications contained in Exhibit "C" and shall comply with all restrictions set forth therein.~~

~~18. JOINT INSPECTION AND INVENTORY REPORT (NON-ENVIRONMENTAL). A Joint Inspection and Inventory Report (JIR) has been conducted by representatives of the Licensor and the Licensee documenting the condition of the Premises. The report is attached to this License and made a part hereof as Exhibit "D". The Premises shall be delivered to the Licensee on an "As Is, Where Is" basis, and, as such, Licensor makes no warranty relative to the Premises as to its usability generally or as to its fitness for any particular purpose. Any safety and/or health hazards identified and listed as such in the JIR shall be corrected at the Licensee's expense prior to use and occupancy of the relevant portion of the Premises. Such safety and/or health hazards shall be limited to those identified in the JIR. In the event this License is terminated and the parties have not agreed to enter into a new License, or another agreement, Licensee shall return the Premises to the Licensor in the same condition in which it was received, reasonable wear and tear and Acts of God excepted. Licensee may, at its expense and with prior written approval of the Licensor: (a) replace any personal property with personal property of like kind and utility, (b) replace any personal property in a good and workmanlike manner, and (c) dispose of any worn out, obsolete or non-functioning personal property, in accordance with applicable laws and regulations. Licensor shall not unreasonably withhold or delay granting its approval to Licensee's request for such actions.~~

19. ADMINISTRATIVE COSTS. At the termination or expiration of this License, at the Licensor's discretion, Licensee shall be responsible for administrative costs associated with completing a final inspection of the premises and updating the Environmental Condition of Property.

20. NOTICES. Correspondence concerning this License shall be provided to both the Local Representative identified in Block 6a. and the Real Estate Contracting Officer identified in Block 10.

21. STATEMENT OF COMPLIANCE. Pursuant 10 U.S.C. § 2662:

- a. This license is not subject to the requirements of this section; or,
- ~~b. This license is subject to the requirements of this section and said requirements have been met.~~

22. ADDITIONS, MODIFICATIONS AND DELETIONS. Prior to the execution of this License, the following provisions were added, modified or deleted:

Provisions 1, 17, 18, 19 and 21b have been deleted and or modified.

Exhibit C
Special Provisions

- a. Licensee understands they have non-exclusive use of the Licensed Premises and must coordinate usage of the Licensed Premises with all other licensed entities. Licensee shall maintain and communicate a monthly training schedule that identifies dates of intended use and access. This schedule shall indicate the type of training involved and estimate number of personnel that will attend the training event.

Licensee is hereby informed that portions of the road infrastructure are subject to a License with the City of Concord and close coordination with the City to deconflict the research development purposes of the City License is required. By the 1st of every month, the Licensee shall notify each of the following entities of the training schedule anticipated for the next 60 days:

Navy Notification POCs:

Tim Yonce – (843) 963-8795, timothy.t.yonce.civ@us.navy.mil

CSO - Glen Nelson– (415) 743-4703, (510) 224-0566, glen.a.nelson10.civ@us.navy.mil

Navy Caretaker Site Office (CSO) Notification POCs:

Glen Nelson – (415) 743-4703, (510) 224-0566, glen.a.nelson10.civ@us.navy.mil

City of Concord Notification POC:

Israel Mora - (510) 603-1804, israel.mora@cityofconcord.org

Contra Costa County Fire Protection District POC:

Lewis T. Broschard III- (925) 941-3501, lewis.broschard@cccfd.org

Contra Costa County Office Sheriff POC

Yvette Sanchez-Correa - (925) 655-0101, ysanc001@so.cccounty.us

- b. No overnight occupancy is permitted.
- c. Licensee shall ensure that the Licensed Premises will be clean of debris and trash upon the completion of training, to the satisfaction of the Government, and will keep the Licensed Premises clean and orderly on a daily basis. Licensee is responsible for removing all trash or debris from premises (i.e. bottles, cans, food wrappers, etc). Simunition rounds (live and spent) require special care and must be removed at all locations upon completion of training. Licensee is responsible for monitoring site cleanup with reoccurring site checks, no less than monthly. Non-compliance with this provision may be the basis for License termination or revocation of future request.
- d. No fueling will be authorized within the Licensed Premises.
- e. Sublicensing is authorized. See Special Provision "aa" for Sublicensing requirements.
- f. Licensee will not block the Licensor, its contractors or other Licensees from the Licensed Premises.
- g. Unless specifically authorized in Section 5 of Page 1 of the License, all vehicles traversing the property will remain on paved roads on the Licensed Premises.

- h. Government shall have no responsibility for the protection and safeguarding of any personal vehicles or any other personal property brought onto Concord Naval Weapons Station, in connection with this License.
- i. Building keys or locks are to be quickly replaced by county in the event of loss. In the event a key cannot be reproduced, combo locks and hasps or equivalent will be needed for all doors. Buildings available for training under this license are designated in Exhibit "A-1".
- j. Signage, other than directional signs, is prohibited. Directional signs must be freestanding or located on existing poles and must be removed after the conclusion of the License term.
- k. Licensee may not conduct operations that would interfere or otherwise restrict environmental cleanup or restoration actions by the Government, the US EPA, State environmental regulators, or their contractors. In the event of any conflict, environmental cleanup, restoration, or testing activities by these parties shall take priority over Licensee's use of the Licensed Premises.
- l. Government's rights under this License specifically include the right for Government officials to inspect, upon reasonable notice, the Licensed Premises for compliance with environmental, safety, and occupational health laws and regulations, whether or not the Government is responsible for enforcing them. Such inspections shall not interfere with Licensee's activities unless immediate entry is required for safety or security reasons or in the event of an emergency. Such inspections are without prejudice to the right of duly constituted enforcement officials to make such inspections. Licensee shall have no claim on account of any entries against the United States or any officer, agent, employee, contractor or subcontractor thereof.
- m. Licensee shall not use groundwater and shall not disturb or cause to be disturbed Government groundwater monitoring wells and equipment. Licensee shall not conduct any subsurface excavation, digging, drilling, or other disturbance of the surface at the Licensed Premises.
- n. Access to Installation Restoration Program sites, Military Munitions Response Program sites, wetlands, archeological sites, areas with archeological potential, areas that support Federally listed endangered/threatened species, areas utilized by other Federal or DoD entities, and areas utilized by other licensees, lessees, or other agreements are prohibited. A map is provided with existing Government groundwater monitoring well sites Exhibit "G"; these sites, particularly the soil, are not to be driven over or disturbed in any manner for safety reasons.
- o. In the event that archaeological materials (e.g., shell, wood, bone, or stone artifacts) or human remains are found or suspected during operations, the Licensee shall stop training in the area of the discovery, secure the site, and notify the Government as soon as practicable, but no longer than 24 hours after the discovery. The Licensee shall not proceed with training until the Government has the opportunity to evaluate the find, and the Government gives the Licensee

direction to resumetraining.

- p. Licensee will at all times during the use of this License promptly observe and comply, at its sole cost and expense, with the provisions of all applicable Federal, State, and local laws, regulations, and standards concerning environmental quality and pollution control and abatement. Licensee covenants that it will not generate, use, or store hazardous substances or hazardous waste on the Licensed Premises. Licensee shall promptly notify the Government and supply copies of any notices, reports, correspondence, and submissions made by Licensee to any Federal, State, or local authority, or received by Licensee from said authority, concerning environmental matters or hazardous substances or hazardous waste on, about, or pertaining to the Licensed Premises.
- q. No notice, order, direction, determination, requirement, consent or approval under this License shall be of any affect unless it is in writing and signed by the Parties to this License.
- r. Still photography or filming is prohibited unless otherwise requested in writing by the Licensee no less than 45 calendar days prior to the desired event and permission is authorized in writing by the Government, and only with strict observation of any additional precaution or procedure the Government may specify.
- s. Licensee is responsible for ensuring that the buildings are properly secured upon leaving the Licensed Premises each day during the term of the License. Licensee shall be required to pay for the repair or replacement of any structural damage (e.g., windows, walls, doors, floors) to the Licensed Premises caused from the training or vandalism.
- t. **LIVE MUNITION TRAINING IS STRICTLY PROHIBITED.** No hazardous materials or explosives are authorized within the Licensed Premises. Other than the specific distraction device approved in Special Provision "u", no other chemicals, pyrotechnics, flame, heat, smoke, paint, etc., will be utilized by the Licensee. No smoking is permitted within the Licensed Premises.
- u. Licensee is authorized to use "12 GRAM LOW ROLL NON-RELOADABLE DISTRACTION DEVICE," as described in the MSDS attached hereto as Exhibit "F". Licensee agrees to collect and dispose of all spent device cartridges once the training event is complete. When training in building interiors, Licensee agrees to properly clean up (wipe down, sweep, etc.) any visible or excess created by the device.
- v. Notification is hereby given that the buildings authorized for use for training purposes at the former Concord Naval Weapons Station may contain asbestos. Your agency's Industrial Hygiene Specialist may coordinate access to verify the presence of friable asbestos. All posted signs stating limited or prohibited access due to asbestos must be followed. If you have any questions, please call the CSO (as cited in paragraph a. of these Special Provisions).

- w. The Licensed Premises are delivered to the Licensee "AS IS, WHERE IS", and, as such, the Government makes no warranty as to such facilities and property either as to their usability generally or as to their fitness for any particular purpose. At the termination of this License, Licensee shall turn over to the Government the Licensed Premises in the same, or as good a condition in which they were received, reasonable wear and tear excepted.
- x. Notice is hereby given that the Government is no longer maintaining the property at the level of an operational Navy base and safety hazards may be present. The Navy has not inspected the building and Licensee assumes any and all risk from its use.
- y. **LICENSEE ACKNOWLEDGES THAT LICENSEE, ALONG WITH ITS INVITEES AND SUBLICENSEES, ARE ENTERING THE LICENSED PREMISES AT THEIR OWN RISK AND LICENSEE EXPRESSLY INDEMNIFIES AND HOLDS THE LICENSOR HARMLESS FOR ANY DAMAGE OR HARM TO LICENSEE AND ITS INVITEES AND SUBLICENSEES RESULTING FROM USE OF THE LICENSED PREMISES. LICENSEE ACKNOWLEDGES THAT IT HAS PROVIDED EACH INVITEE AND SUBLICENSEE WITH A COMPLETE COPY OF THIS LICENSE AND HAS PERSONALLY ADVISED EACH INVITEE AND SUBLICENSEE OF THE RISKS ASSOCIATED WITH USE OF THE LICENSED PREMISES, INCLUDING BUT NOT LIMITED TO THOSE RISKS RELATED TO CONTACT WITH UNEXPLODED ORDNANCE. SHOULD THE LICENSEE ENCOUNTER ANY METALLIC OBJECTS, IT SHALL IMMEDIATELY CEASE ALL ACTIVITY AND CONTACT THE CSO POINT OF CONTACT.**
- z. Law enforcement agencies that use canine units during their training must pick up dog waste and dispose in a proper manner upon leaving the Licensed Premises.
- aa. Licensee may sublicense to entities without Government approval on the basis that all License terms and conditions will be provided to Sublicensee. Licensee shall be responsible for retaining documentation (sublicense, permits, etc.) related to Sublicensee use. Sublicensees shall be provided a copy of the entire License.
- bb. Licensee acknowledges that planned training events may be cancelled at the request of the Licensor for reasons including but not limited to public events, access requests in support of the Navy environmental program, Navy response actions, etc.
- cc. Licensee acknowledges that one building (IA-7) is adjacent to the Licensed Premises has been Licensed to the City of Concord for use by its sublicensee for storage of vehicles and is hereby excluded from this License and is not a component of the Licensed Premises. Licensee shall not conduct training activities directly adjacent to IA-7 and shall not block or hinder the City of Concord (and its assigns) from entering IA-7.
- dd. Licensee is prohibited from accessing building IA-12 as shown in Exhibit "D."
- ee. Licensee is prohibited from vehicle use within area, depicted in Exhibit "D" due to remediation equipment (SVE) in the ground.

- ff. Licensee is authorized to use the North side of IA-15, next to the fire burn box, for bicycle storage as shown in Exhibit "E".
- gg. The failure of Licensor to enforce any provision of this License shall not be construed as waiver of that or any other provision herein.
- hh. Licensee shall have the right to self-insure. In the event that Licensee does self-insure, Licensee shall provide written evidence of such self-insurance to Licensor, and shall include the Licensor as additional insured under such self-insurance coverage as described in General Provision 9. If Licensee does not self-insure, then, during the entire term of this Agreement, Licensee shall provide and maintain, in full force and effect at all times, insurance policies meeting the requirements described in General Provision 9, unless otherwise expressed in writing by the Licensor.
- ii. In the event of conflict with the General Provisions of the License, the Special Provisions shall prevail and override the General Provisions.
- jj. Use of drones and aircraft is strictly prohibited unless otherwise requested in writing by the Licensee no less than 45 calendar days prior to the desired event and permission is authorized in writing by the Government, and only with strict observation of any additional precaution or procedure the Government may specify.

LICENSEE ACKNOWLEDGMENT:

Licensee

Date

Exhibit D
Building IA-12 - Prohibited Access Area
N4769226RP26P11




Exhibit E
Bldg IA-15 - Bicycle Storage
N4769226RP26P11



Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHAGHS

Printing date July 07, 2015

Revision: July 07, 2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

• **1.1 Product identifier**

• Trade name: **12-Gram Low Roll™ Non-Reloadable Distraction Device®**

• Article number: 8902NR (1091494)

• **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

• **1.3 Details of the supplier of the Safety Data Sheet**

• **Manufacturer/Supplier:**

Safariland, LLC
13386 International Parkway
Jacksonville, FL 32218
Customer Care (800) 347-1200



• **Further information obtainable from:** Customer Care Department

• **1.4 Emergency telephone number:**


ChemTel Inc.
(800)255-3924, +1 (813)248-0585

SECTION 2: Hazards identification

• **2.1 Classification of the substance or mixture**

• **Classification according to Regulation (EC) No 1272/2008**

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29 CFR 1910.1200).



Expl. 1.4 H204 Fire or projection hazard.

• **Additional information:**

There are no other hazards not otherwise classified that have been identified.
0 % of the mixture consists of component(s) of unknown toxicity.

• **2.2 Label elements**

• **Labelling according to Regulation (EC) No 1272/2008**

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

The product is classified and labelled according to the CLP regulation.

• **Hazard pictograms**



GHS01

• **Signal word** Warning

• **Hazard statements**

H204 Fire or projection hazard.

(Cont'd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

Trade name: 12-Gram Low Roll™ Non-Reloadable Distraction Device®

(Cont'd. from page 1)

- **Precautionary statements**

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P250 Do not subject to grinding/shock/friction.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P373 DO NOT fight fire when fire reaches explosives.
- P370+P380 In case of fire: Evacuate area.
- P372 Explosion risk in case of fire.
- P401 Store in accordance with local/regional/national/international regulations.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.
Can become highly flammable in use.

- **NFPA ratings (scale 0-4)**



Health = 1
Fire = 0
Reactivity = 3

- **HMS-ratings (scale 0-4)**



Health = 1
Fire = 0
Reactivity = 3

- **HMS Long Term Health Hazard Substances**

7778-74-7	potassium perchlorate
-----------	-----------------------

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

- **Explosive Product Notice**

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, **DO NOT USE IT** before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

(Cont'd. on page 3)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHAGHS

Printing date July 07, 2015

Revision: July 07, 2015

Trade name: 12-Gram Low Roll™ Non-Reloadable Distraction Device®

(Cont'd. from page 2)

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 7778-74-7 EINECS: 231-912-9 Index number: 017-008-00-5	potassium perchlorate Ox. Sol. 1, H271 Acute Tax. 4, H302	25-50%
CAS: 7429-90-5 EINECS: 231-072-3 Index number: 013-001-00-6	aluminium powder (pyrophoric) Pyr.-Sol. 1 H250; Water:react 2, i-fl6_f	25-50%
CAS: 7439-95-4 EINECS: 231-104-6 Index number: 012-001-00-3	magnesium powder (pyrophoric) Pyr.-sol 1 H250; water-react: 2, i-fl6_f	10-25%
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	2,5-10%
CAS: 7440-66-6	zinc metal Aquatic Acute H400; Aquatic-Chronic 1, H410	2.5%
CAS: 3811-04-9 EINECS: 223-289-7 Index number: 017-004-00-3	potassium chlorate Oxid. 1, H271 Aquatic Chronic 2, H411 Acute Tax. 4, H302; Acute Tax. 4, H332	2.5%
CAS: 592-87-0 EINECS: 209-774-6 Index number: 082-001-00-6	lead dithiocyanate C.Sic. 1B, H350; Repr. fA, H360DF; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tax. 4, H302; Acute Tax. 4, H332	2.5%
CAS: 10294-40-3 EINECS: 233-660-5 Index number: 056-002-00-7	barium chromate * i e ! J ⁵ , 3 ; ; ; e - 4, - ; ; ;	2.5%

Additional information:

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information: Immediately remove any clothing soiled by the product.

After inhalation:

Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

After skin contact:

Generally the product does not irritate the skin.

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

(Cont'd. on page 4)

Safety Data Sheet
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
 OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

Trade name: 12-Gram Low Roll™ Non-Reloadable Distraction Device®

(Cont'd. from page 3)

- **After eye contact:**
 Remove contact lenses if worn.
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
 Unlikely route of exposure.
 Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** Blast injury if mishandled.
- **Hazards** Danger of blast or crush-type injuries.
- **4.3 Indication of any immediate medical attention and special treatment needed**
 Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
 DO NOT fight fire when fire reaches explosives.
 Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**
 Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.
- **5.3 Advice for firefighters**
- **Protective equipment:**
 Wear self-contained respiratory protective device.
 Wear fully protective suit.
- **Additional information**
 Eliminate all ignition sources if safe to do so.
 Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
 FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.
 Remove persons from danger area.
 Ensure adequate ventilation
 Wear protective clothing.
 Protect from heat.
 Isolate area and prevent access.
- **6.2 Environmental precautions:** No special measures required.

(Cont'd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

Trade name: 12-Gram Low Roll™ Non-Reloadable Distraction Device®

(Cont'd. from page 4)

• **6.3 Methods and material for containment and cleaning up:**

Pick up mechanically.
Send for recovery or disposal in suitable receptacles.

• **6.4 Reference to other sections**

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling**

Handle with care. Avoid jolting, friction and impact.
Use only in well ventilated areas.
Do not subject to grinding/shock/friction.

• **Information about fire - and explosion protection:**

Protect from heat.
Emergency cooling must be available in case of nearby fire.

• **7.2 Conditions for safe storage, including any incompatibilities**

• **Storage:**

• **Requirements to be met by storerooms and receptacles:** Store in a cool location.

• **Information about storage in one common storage facility:**

Store away from foodstuffs.
Store away from flammable substances.

• **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.
Keep away from heat.

• **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

• **Additional information about design of technical facilities:** No further data; see section 7.

• **8.1 Control parameters**

• **Ingredients with limit values that require monitoring at the workplace:**

7429-90-5 aluminium powder (pyrophoric)

PEL (USA)	Long-term value: 15*; 15** mg/m ³ *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV (USA)	Long-term value: 1* mg/m ³ as Al; *as respirable fraction
EL (Canada)	Long-term value: 1,0 mg/m ³ respirable, as Al

(Cont'd. on page 6)

Safety Data Sheet
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
 OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

Trade name: 12-Gram Low Roll™ Non-Reloadable Distraction Device®

(Cont'd. from page 5)

EV (Canada)	Long-term value: 5 mg/m ³ aluminium-containing (as aluminium)
-------------	---

7440-50-8 copper

PEL (USA)	Long-term value: 1* 0,1** mg/m ³ as Cu *dusts and mists **fume
REL (USA)	Long-term value: 1* 0,1** mg/m ³ as Cu *dusts and mists **fume
TLV (USA)	Long-term value: 1* 0,2** mg/m ³ *dusts and mists; **fume; as Cu
EL (Canada)	Long-term value: 1* 0,2** mg/m ³ *dusts and mists; **fume, as Cu
EV (Canada)	Long-term value: 0,2* 1** mg/m ³ as copper, *fume,**dust and mists

592-87-0 lead dithiocyanate

PEL (USA)	Long-term value: 5 mg/m ³ as CN; Skin
EV (Canada)	Long-term value: 0,05 mg/m ³ as Pb, Skin (organic compounds)

10294-40-3 barium chromate

PEL (USA)	Long-term value: 0,005* mg/m ³ Ceiling limit: 0,1** mg/m ³ *as Cr(VI) **as CrO ₃ ; see 29 CFR 1910, 1026
REL (USA)	Long-term value: 0,0002 mg/m ³ as Cr; See Pocket Guide Apps. A and C
TLV (USA)	Long-term value: 0,01 mg/m ³ as Cr
EL (Canada)	Long-term value: 0,01 mg/m ³ as Cr; ACGIH A1, IARC 1

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.

· **Ingredients with biological limit values:****10294-40-3 barium chromate**

BEI (USA)	25 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (fume)
	10 µg/L Medium: urine Time: increase during shift Parameter: Total chromium (fume)

- **Additional information:** No further relevant information available.

(Cont'd. on page 7)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHAGHS

Printing date July 07, 2015

Revision: July 07, 2015

Trade name: 12-Gram Low Roll™ Non-Reloadable Distraction Device®

(Cont'd. from page 6)

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- **Respiratory protection:**

Not required under normal conditions of use.

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

- **Protection of hands:**

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing

- **Limitation and supervision of exposure into the environment**

No further relevant information available.

- **Risk management measures**

Organizational measures should be in place for all activities involving this product.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:

Solid material

Colour:

According to product specification

- **Odour:**

Odourless

- **Odour threshold:**

Not determined.

- **pH-value:**

Not applicable.

- **Change in condition**

Melting point/Melting range:

Not Determined.

Boiling point/Boiling range:

Undetermined.

(Cont'd. on page 8)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHAGHS

Printing date July 07, 2015

Revision: July 07, 2015

Trade name: 12-Gram Low Roll™ Non-Reloadable Distraction Device®

(Cont'd. from page 7)

- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Fire or projection hazard.
- **Auto/Self-ignition temperature:** Not determined.
- **Decomposition temperature:** Not determined.
- **Self-igniting:** Product is not self-igniting.
- **Danger of explosion:** Heating may cause an explosion.
- **Explosion limits:**
 - Lower:** Not determined.
 - Upper:** Not determined.
- **Oxidising properties** Contains oxidizing agent.
- **Vapour pressure:** Not determined.
- **Density:** Not determined.
- **Relative density** Not determined.
- **Vapour density** Not applicable.
- **Evaporation rate** Not applicable.
- **Solubility in / Miscibility with water:** Variable, dependent upon product composition and packaging.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:** Not applicable.
 - Kinematic:** Not applicable.
- **9.2 Other information** No further relevant information available.

SECTION 18: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- **10.3 Possibility of hazardous reactions**
Fire or projection hazard.
Toxic fumes may be released if heated above the decomposition point.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** Leadoxide vapour

(Cont'd. on page 9)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHAGHS

Printing date July 07, 2015

Revision: July 07, 2015

Trade name: 12-Gram Low Roll™ Non-Reloadable Distraction Device®

(Cont'd. from page 8)

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**

This is a packaged product that will not result in exposure to the contents under normal conditions of use. In the event of exposure, administer first aid appropriate for symptoms present.

- **Acute toxicity**

- **LD/LCS0 values relevant for classification:**

7758-97-6 lead chromate

Oral LCS0 112000 mg/kg (mouse)

- **Primary irritant effect:**

- **Skin corrosion/irritation**

Not a skin irritant in unused form. Vapors/particles from used product are possibly irritating to skin.

- **Serious eye damage/irritation**

Not an eye irritant in unused form. Vapors/particles from used product are possibly irritating to eyes.

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

- **Additional toxicological information:**

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a canister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

- **Acute effects (acute toxicity, irritation and corrosivity):** Danger of blast or crush-type injuries.

- **Repeated dose toxicity:** No further relevant information available.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**

- **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

- **Carcinogenicity**

Based on available data, the classification criteria are not met.

- **Reproductive toxicity**

Based on available data, the classification criteria are not met.

- **STOT-single exposure**

Based on available data, the classification criteria are not met.

- **STOY-repeated exposure**

Based on available data, the classification criteria are not met.

- **Aspiration hazard**

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** May be accumulated in organism

- **12.4 Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

(Cont'd. on page 10)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

Trade name: 12-Gram Low Roll™ Non-Reloadable Distraction Device®

(Cont'd. from page 9)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to local official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- **14.1 UN-Number**
- **DOT, ADR, IMDG, IATA** UN0452
- **14.2 UN proper shipping name**
- **DOT** Grenades, Practice
- **ADR** 0452 GRENADES, PRACTICE
- **IMDG, IATA** GRENADES, PRACTICE
- **14.3 Transport hazard class(es)**

· DOT



- **Class** 1.4
- **Label** 1.4

· ADR

- **Class** 1.4(-)
- **Label** 1.4G

· IMDG, IATA



- **Class** 1.4
- **Label** 1.4G

(Cont'd. on page 11)


Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHAGHS

Printing date July 07, 2015

Revision: July 07, 2015

Trade name: 12-Gram Low Roll™ Non-Reloadable Distraction Device®

(Cont'd. from page 10)	
<ul style="list-style-type: none"> · 14.4 Packing group · DOT, ADR, IMDG, IATA · 14.5 Environmental hazards: · Special marking (IATA): 	<p>II</p> <p>Prohibited from Transport in Passenger Aircraft.</p>
 <ul style="list-style-type: none"> · Cargo Aircraft Only. 	
<ul style="list-style-type: none"> · 14.6 Special precautions for user · EMS Number: · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code · Transport/Additional information: 	<p>Not applicable.</p> <p>F-B,S-X</p> <p>Not applicable.</p>
<ul style="list-style-type: none"> · ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code · UN "Model Regulation": 	<p>0</p> <p>Code: ED</p> <p>Not permitted as Excepted Quantity</p> <p>2</p> <p>E</p> <p>UN0452, Grenades, Practice, 1.4, II</p>

I SECTION 15: Regulatory information

<ul style="list-style-type: none"> · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA) · SARA 	<p>Section 355 (extremely hazardous substances):</p> <p>None of the ingredients are listed.</p> <p>Section 313 (Specific toxic chemical listings):</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">7429-90-5</td> <td>aluminium powder (pyrophoric)</td> </tr> <tr> <td>7440-50-8</td> <td>copper</td> </tr> <tr> <td>7440-66-6</td> <td>zinc metal</td> </tr> </table> <p>TSCA (Toxic Substances Control Act):</p> <p>All ingredients are listed.</p> <p>Proposition 65 (California):</p> <p>Chemicals known to cause cancer:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">592-87-0</td> <td>lead dithiocyanate</td> </tr> <tr> <td>10294-40-3</td> <td>barium chromate</td> </tr> <tr> <td>7758-97-6</td> <td>lead chromate</td> </tr> </table> <p>Chemicals known to cause reproductive toxicity for females:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">10294-40-3</td> <td>barium chromate</td> </tr> <tr> <td>7758-97-6</td> <td>lead chromate</td> </tr> </table>	7429-90-5	aluminium powder (pyrophoric)	7440-50-8	copper	7440-66-6	zinc metal	592-87-0	lead dithiocyanate	10294-40-3	barium chromate	7758-97-6	lead chromate	10294-40-3	barium chromate	7758-97-6	lead chromate
7429-90-5	aluminium powder (pyrophoric)																
7440-50-8	copper																
7440-66-6	zinc metal																
592-87-0	lead dithiocyanate																
10294-40-3	barium chromate																
7758-97-6	lead chromate																
10294-40-3	barium chromate																
7758-97-6	lead chromate																

(Cont'd. on page 12)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHAGHS

Printing date July 07, 2015

Revision: July 07, 2015

Trade name: 12-Gram Low Roll™ Non-Reloadable Distraction Device®

(Cont'd. from page 11)

· Chemicals known to cause reproductive toxicity for males:		
10294-40-3	barium chromate	
7758-97-6	lead chromate	
· Chemicals known to cause developmental toxicity:		
10294-40-3	barium chromate	
7758-97-6	lead chromate	
· Carcinogenic Categories		
· EPA (Environmental Protection Agency)		
7778-74-7	potassium perchlorate	NL
7440-50-8	copper	D
7440-66-6	zinc metal	D, I, II
10294-40-3	barium chromate	A(inh), D(oral), K/L(inh), CBD(oral)
· IARC (International Agency for Research on Cancer)		
10294-40-3	barium chromate	11
· TLV (Threshold Limit Value established by ACGIH)		
7429-90-5	aluminium powder (pyrophoric)	IA4
10294-40-3	barium chromate	IA1
· NIOSH-Ca (National Institute for Occupational Safety and Health)		
10294-40-3	barium chromate	
· Canada		
· Canadian Domestic Substances List (DSL)		
All ingredients are listed.		
· Canadian Ingredient Disclosure list (limit 0.1%)		
10294-40-3	barium chromate	
· Canadian Ingredient Disclosure list (limit 1%)		
7429-90-5	aluminium powder (pyrophoric)	
7440-50-8	copper	
· Directive 2012/18/EU		
· Named dangerous substances - ANNEX I None of the ingredients are listed.		
· Other regulations, limitations and prohibitive regulations		
This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SOS contains all the information required by the Controlled Products Regulations.		
· Substances of very high concern (SVHC) according to REACH, Article 57		
None of the ingredients are listed.		
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.		

(Cont'd. on page 13)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHA GHS

Printing date July 07, 2015

Revision: July 07, 2015

Trade name: 12-Gram Low Roll™ Non-Reloadable Distraction Device®

(Cont'd. from page 12)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H250 Catches fire spontaneously if exposed to air.
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H261 In contact with water releases flammable gases.
- H271 May cause fire or explosion; strong oxidiser.
- H302 Harmful if swallowed.
- H332 Harmful if inhaled.
- H350 May cause cancer.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- GAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- Expl. 1.4: Explosives, Division 1.4
- Pyroph. Sol. 1: Pyrophoric Solids, Hazard Category 1
- Water-react. 1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 1
- Water-react. 2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 2
- Ox. Sol. 1: Oxidising Solids, Hazard Category 1
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Care. 1A: Carcinogenicity, Hazard Category 1A
- Care. 1B: Carcinogenicity, Hazard Category 1B
- Repr. 1A: Reproductive toxicity, Hazard Category 1A
- STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2
- Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Sources

SOS Prepared by:
ChemTel Inc.

(Cont'd. on page 14)

Safety Data Sheet
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
OSHAGHS

Printing date July 07, 2015


Revision: July 07, 2015

Trade name: 12-Gram Low Roll™ Non-Reloadable Distraction Device®

1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com


(Cont'd. from page 13)

Exhibit G
N4769226P26P11



- Legend**
- ◆ Existing Monitoring Well Sampled for PFAS During RI
 - Well Monitoring Wells Downloaded from NIRIS March 5, 2025
 - Mt. Diablo Creek
 - Railroad
 - Buildings
 - Former NWS Concord Boundary

Notes:
 IA = Inland Area
 PFAS = per- and polyfluoroalkyl substances
 NWS = Naval Weapons Station
 RI = Remedial Investigation
 Basemap Source: ESRI Online Streaming Service 2025



Former Naval Weapons Station Seal Beach Detachment Concord, Concord California

**Admin Area
Groundwater Monitoring Wells**

PROJECT NO.:	5026-23-5089
DATE:	March 2025
DRAWN BY:	KOB
CHECKED BY:	LC



FIGURE
A

Date: 3/6/2025 Path: D:\FilesFromWork\5026-23\5089_ConcordPFAS_RI\GIS\Figs_Concord_PFAS_RI_Nov2023\FigA_Concord_PFAS_RI_GW_Locations.mxd