EXHIBIT B-1.2

COPIER/MFD SPECIFIC DEVICE FUNCTIONALITIES

A. COPIER/MFD DEVICE FUNCTIONALITY CANON - COLOR

#	Segment	1	2	3	4	5	6
	Device	Canon	Canon	Canon	Canon	Canon C	Canon
	Model	C3926	C3926	C3935	C5850	5870	C270
1	NEMA plug	NEMA 5-					
	configuratio	15P	15P	15P	20P	20P	20P
	n type						
	Brand and						
2	model of						
	included						
	power surge						
	protector						
	(line						
	conditioner)						
3	Power consumption	548w	548w	606w	772w	772w	1.30kw
	(running)						
4	Power	44w	44w	80w	80w	80w	119w
	consumption						
	(idle)						
5	Power	.1w	.1w	.19w	.19w	.19w	.5w
	consumption						
	(off)						
	Energy	Yes	Yes	Yes	Yes	Yes	Yes
6	reduction						
	Features						
	Does the	No	No	No	No	No	No
	model offer						
7	full-bleed						
	letter and						
	ledger –size						
	printing?						
	Reduction in						
	printing						
8	speed vs.						
	rated copy						

/es /es
ves.
· 'es
 'es
 'es
'es
'es
'es
Scan/prin
•••
orint/fax
Secure
orint
Generic_
e Se

1 3	Language (PDL)	PCL6 v2.00	PCL6 v2.00	PCL6 v2.00	PCL6 v2.00	PCL6 v2.00	PCL6 v2.00
	compatibiliti es, including version numbers, are	Generic_ PLUS UFRII v2.00	Generic_ PLUS UFRII v2.00	Generic_ PLUS UFRII v2.00	Generic_ PLUS UFRII v2.00	Generic_ PLUS UFRII v2.00	Generic_ PLUS UFRII v2.00
	included in CONTRACTO R's pricing.	Generic_ PLUS PS v2.00					
1 4	COUNTY's network and server operating system compatibiliti es, including version numbers, are included in CONTRACTO R's pricing						
1 5	Which walk- up copying, faxing or scanning features, if any, are not available to workstation users via the unit's print, fax and scan drivers?						
	The maximum	9min	9min	9min	9min	9min	9min

1 6	Copier/MFD timeout period for walk-up users.						
1 7	The Copier/MFDs can be configured to securely hold all print jobs at the device until released using a userassigned password number (Secure Printing)	Secure print	Secure print	Secure print	Secure print	Secure print	Secure print
1 8	The Copier/MFD print driver can be defaulted to require the use of the Secure Print function	Yes	Yes	Yes	Yes	Yes	Yes
1 9	Amount of included RAM memory dedicated for the copier, fax (as applicable), scanner and printer unctions	3GB	3GB	4GB	4GB	4GB	4GB
	The maximum	2	2	4	4	4	4

2 0	number of fax lines that each installed Copier/MFD can accommodat						
2 1	Each of the installed model is set from the factory to default to copier functionality as the priority document imaging mode	Yes	Yes	Yes	Yes	Yes	Yes
2 2	Each color-capable Copier/MFD will be set from the factory to default to monochrom e functionality as the priority document imaging mode for both walk-up copy, scanning and print-driver users	Yes	Yes	Yes	Yes	Yes	Yes

	Monochrom	Yes	Yes	Yes	Yes	Yes	Yes
	e-only print						
	drivers can						
	be made						
	available for						
	users of the						
	color-						
2	capable						
3	Copier/MFDs						
	. Although						
	this						
	functionality						
	is						
	available,						
	vendor will						
	eliminate						
	from the						
	drivers and						
	the						
	Copier/MFD touch						
	screen panels any						
	mention of a						
	Color-						
	Only						
	copying/prin						
	ting						
	mode.						
	Two-sided	Yes	Yes	Yes	Yes	Yes	Yes
2	one-pass						
4	scanning						
	(i.e.,						
	"simultaneo						
	us" or						
	"perfect"						
	scanning)						
	capability						
	included						
	Stack-feed	Yes	Yes	Yes	Yes	Yes	Yes
2	bypass tray						
5	capable of						
	feeding						

	multiala #10						
	multiple #10						
	envelopes			.,	.,	.,	.,
_	The model	Yes	Yes	Yes	Yes	Yes	Yes
2	can print						
6	out the						
	internal						
	user/depart						
	mental						
	tracking data						
	The internal						
	user/depart						
	mental						
2	tracking data						
7	can be						
	transmitted						
	electronically						
	via an						
	included						
	copy/print						
	tracking and						
	billing						
	solution to						
	the						
	CONTRACTO						
	R						
	Printing can						
	be						
	controlled						
2	and tracked						
8	via the						
ŏ							
	copy/print						
	tracking and						
	billing						
	solution						
	provided by						
	the						
	CONTRACTO						
<u> </u>	R						
	Сору						
	tracking data						
2	can be listed						
9	separately						
	from print						
	tracking data]				

			ı				I
	for each user						
	or						
	department						
	being						
	tracked by						
	the						
	copy/print						
	tracking and						
	billing						
	solution						
	The internal						
	tracking						
	codes can be						
3	submitted						
0	electronically						
	to the						
	copy/print						
	tracking and						
	billing						
	solution on a						
	prescribed						
	day each						
	month						
-		Voc	Voc	Voc	Voc	Voc	Voc
	User	Yes	Yes	Yes	Yes	Yes	Yes
	User identification	Yes	Yes	Yes	Yes	Yes	Yes
	User identification codes can be	Yes	Yes	Yes	Yes	Yes	Yes
3	User identification codes can be set up	Yes	Yes	Yes	Yes	Yes	Yes
3 1	User identification codes can be set up globally for	Yes	Yes	Yes	Yes	Yes	Yes
	User identification codes can be set up	Yes	Yes	Yes	Yes	Yes	Yes
	User identification codes can be set up globally for	Yes	Yes	Yes	Yes	Yes	Yes
	User identification codes can be set up globally for all devices	Yes	Yes	Yes	Yes	Yes	Yes
	User identification codes can be set up globally for all devices and/or on	Yes	Yes	Yes	Yes	Yes	Yes
	User identification codes can be set up globally for all devices and/or on individual devices from	Yes	Yes	Yes	Yes	Yes	Yes
	User identification codes can be set up globally for all devices and/or on individual devices from a remote	Yes	Yes	Yes	Yes	Yes	Yes
	User identification codes can be set up globally for all devices and/or on individual devices from a remote location	Yes	Yes	Yes	Yes	Yes	Yes
	User identification codes can be set up globally for all devices and/or on individual devices from a remote location A brief	Yes	Yes	Yes	Yes	Yes	Yes
	User identification codes can be set up globally for all devices and/or on individual devices from a remote location A brief description	Yes	Yes	Yes	Yes	Yes	Yes
1	User identification codes can be set up globally for all devices and/or on individual devices from a remote location A brief description of the most	Yes	Yes	Yes	Yes	Yes	Yes
3	User identification codes can be set up globally for all devices and/or on individual devices from a remote location A brief description of the most efficient	Yes	Yes	Yes	Yes	Yes	Yes
1	User identification codes can be set up globally for all devices and/or on individual devices from a remote location A brief description of the most efficient method of	Yes	Yes	Yes	Yes	Yes	Yes
3	User identification codes can be set up globally for all devices and/or on individual devices from a remote location A brief description of the most efficient method of installing	Yes	Yes	Yes	Yes	Yes	Yes
3	User identification codes can be set up globally for all devices and/or on individual devices from a remote location A brief description of the most efficient method of installing device print,	Yes	Yes	Yes	Yes	Yes	Yes
3	User identification codes can be set up globally for all devices and/or on individual devices from a remote location A brief description of the most efficient method of installing device print, fax and	Yes	Yes	Yes	Yes	Yes	Yes
3	User identification codes can be set up globally for all devices and/or on individual devices from a remote location A brief description of the most efficient method of installing device print,	Yes	Yes	Yes	Yes	Yes	Yes

	each model						
	on						
	COUNTY						
	workstations	W			W	W	
	Banner	Yes	Yes	Yes	Yes	Yes	Yes
3	sheets can						
3	be						
	automaticall						
	У						
	programmed						
	to be						
	pulled from a						
	different						
	(color) paper						
	source than						
	for the print						
	job						
	itself						
	Banner	Yes	Yes	Yes	Yes	Yes	Yes
	sheets						
	between						
	print jobs						
3	can be						
4	programmed with the						
	network						
	user's name						
	and/or other						
	identifier so						
	jobs from						
	multiple						
	distant users						
	can more						
	easily be						
	located in						
	high-volume						
	environment						
	S						
	The	Page	Page	Page	Page	Page	Page
	Copier/MFD	numberin	numberin	numberin	numberin	numberin	numberin
3	model offers	g	g	g	g	g	g
5	embedded						
	Bates						
5							

	C+a-ma-m-!						
	Stamping						
	capabilities	.,		.,	.,	.,	
	Printing/scan	Yes	Yes	Yes	Yes	Yes	Yes
	ning						
3	to/from a						
6	USB						
	thumb/flash						
	drive is						
	included on						
	each of the						
	models						
	The scanning	Yes	Yes	Yes	Yes	Yes	Yes
3	system for						
7	each						
	Copier/MFD						
	is						
	configured						
	to support						
	common						
	network user						
	authorizatio						
	n,						
	authenticatio						
	n						
	schemes and						
	common						
	directory						
	protocols						
	such as LDAP						
	and native						
	active						
	directory.						
	The						
	processes						
	are the same						
	as those						
	required by						
	the users'						
	network						
	login e.g.,						
	user name						
	and						
	password						

	A user's name can be	Yes	Yes	Yes	Yes	Yes	Yes
3	added to the						
8	"From" field						
	for further verification						
	of the sender						
	Each	Yes	Yes	Yes	Yes	Yes	Yes
	Copier/MFD	. 66	. 66	. 60	. 66	. 66	. 66
	need to be						
3	programmed						
9	manually						
	(remotely or						
	otherwise) to						
	incorporate						
	each						
	authorized						
	user's email						
	addresses						
	Each	Yes	Yes	Yes	Yes	Yes	Yes
	Copier/MFD	103	103	103	103	103	163
4	allows						
0	scanned						
	documents						
	to be						
	encrypted for security						
	purposes.						
	Users can	Yes	Yes	Yes	Yes	Yes	Yes
	choose a						
	scan file						
4	format						
1	available (e.g. PDF,						
	TIFF, and						
	JPEG) at the						
	device based						
	on an						
	application						
	and						
	preference.						

	T	T	T	T	T	T	T
	Users	Yes	Yes	Yes	Yes	Yes	Yes
	wishing to						
4	utilize the						
2	included						
	scan-to-						
	email						
	function are						
	authenticate						
	d						
	The device	Yes	Yes	Yes	Yes	Yes	Yes
	can create						
	text-						
	searchable						
	PDF						
	files from						
4	scanned						
3	originals						
3							
	providing						
	greater						
	access to						
	documents						
	archived in						
	shared files,						
	folders, or						
	future						
	Electronic						
	Document						
	Managemen						
	t Systems						
	(EDMS)						
	applications						
	that the						
	COUNTY may						
	implement						
	Multiple	Yes	Yes	Yes	Yes	Yes	Yes
	pages can be						
	scanned and						
	either						
4	emailed or						
4	stored						
	without						
	having to go						
	back-and-						
	forth						

	between the						
	device						
	and the PC workstation						
	between						
	each page						
	The scanning	Yes	Yes	Yes	Yes	Yes	Yes
	solution	1.00	1.03				. 65
	includes OCR						
4	software						
5	with						
	advanced						
	desktop						
	layout						
	analysis for						
	editing,						
	archiving and						
	sharing						
	Walk-up	Option	Option	Option	Option	Option	Option
	Copier/MFD						
4	users have access to a						
0	full-size						
	integrated						
	QWERTY						
	keyboard						
	Users can	Yes	Yes	Yes	Yes	Yes	Yes
4	search for						
7	available						
	network						
	folders on						
	the						
	Copier/MFD						
	screen to determine						
	where to						
	send						
	scanned						
	documents						
	Color	Yes	Yes	Yes	Yes	Yes	Yes
	scanning						
4	capability is						
8	included on						
	any of the						

	monochrom						
	e models	V	V	Vaa	Vaa	Vaa	Vaa
	The scanning	Yes	Yes	Yes	Yes	Yes	Yes
	system can						
	support						
	common						
	network user						
	authorizatio						
	n,						
	authenticatio						
	n						
4	schemes and						
9	common						
	directory						
	protocols						
	such as						
	LDAP. The						
	processes						
	are the same						
	as those						
	required by						
	the users'						
	network						
	login e.g.,						
	user						
	name and						
	password A						
	user's name						
	can be						
	added to the						
	"From" field						
	for further						
	verification						
	of the sender						
	The device	Yes	Yes	Yes	Yes	Yes	Yes
5	allows						
0	scanned						
	documents						
	to be						
	encrypted						
	for						
	security						
	purposes						
	1	<u> </u>	1	1	l		

	The device	Yes	Yes	Yes	Yes	Yes	Yes
	allows for						
	scanning to						
	Electronic						
5	Document						
1	Managemen						
	t Systems						
	(EDMS) or						
	Enterprise						
	Content						
	Managemen						
	t (ECM)						
	Users can	Yes	Yes	Yes	Yes	Yes	Yes
	scan to a			. 03	. 03	. 03	. 03
5	Windows						
2	share						
_	location or						
	to FTP						
	(Internet						
	transfer) on						
	each						
	Copier/MFD						
	The device						
5	can scan						
3							
3	images into WYSIWIG						
	web-based						
	HTML files						
	The device						
	allows a						
	user to						
	attach						
_	Document						
5	Managemen						
4	t Fields						
	(e.g. date,						
	name, file						
	number) to						
	the						
	document						
	file for						
	filing/retriev						
	al and						

	unique identification (sometimes referred to as metadata); the metadata or indexing data can be automaticall y included in the scanning template workflow						
5	The maximum resolution of the scanned image	600dpi	600dpi	600dpi	600dpi	600dpi	600dpi
5	Automatic de-speckling and de- skewing of the scanned image	No	No	No	No	No	No
5 7	The color depth of the scanned image	Multi-bit	Multi-bit	Multi-bit	Multi-bit	Multi-bit	Multi-bit
5 8	The ability to scan to shared network folder	Yes	Yes	Yes	Yes	Yes	Yes
5 9	The ability to scan to an email address	Yes	Yes	Yes	Yes	Yes	Yes
	notifications						

6 0	will be sent automaticall y to the designated facility key operator when units are out of paper, out of toner or otherwise require key operator attention						
6	The finisher for each Copier/MFD is internal or external to the device						
6 2	A brief description of how prints, faxes (as applicable) and copies will be separated on the finisher and/or exit trays of each Copier/MFD model	2 trays can be designate d	2 trays can be designate d	2 trays can be designate d	2 trays can be designate d	3 trays can be designate d	3 trays can be designate d
6 3	The finisher support 2-hole punching in addition to 3-hole punching (Segment 4a,	N/A	N/A	N/A	Yes	Yes	Yes

	1h Fande						
	4b, 5 and 6						
_	units only)						
6	The finisher	No	No	No	No	No	No
4	offer subset						
	stapling						
	The item	See	See	See	See	See	See
	numbers and	media	media	media	media	media	media
6	brand names	guide	guide	guide	guide	guide	guide
5	for mailing						
	labels and						
	transparenci						
	es that are						
	compatible						
	with units						
	The units are	Bypass	Bypass	Bypass	Bypass	Bypass	Bypass
	able to	7,655			7,655		2,6000
6	run the						
6	transparency						
	film and						
	mailing						
	labels from						
	all paper						
	sources						
	(drawers						
	l '						
	plus bypass), or if the						
	paper sources are						
	restricted						
	when						
	running this						
	stock,	DCLG	DCLG	DCLC	DCLC	DCLC	DCLG
	The name	PCL6	PCL6	PCL6	PCL6	PCL6	PCL6
	and version	v2.00	v2.00	v2.00	v2.00	v2.00	v2.00
	level of the	Concein	Conside	Conside	Consula	Conside	Canada
	print, fax and	Generic_	Generic_	Generic_	Generic_	Generic_	Generic_
	scan driver	PLUS	PLUS	PLUS	PLUS	PLUS	PLUS
6	utilities	UFRII	UFRII	UFRII	UFRII	UFRII	UFRII
7	(as	v2.00	v2.00	v2.00	v2.00	v2.00	v2.00
	applicable)						
	that will be	Generic_	Generic_	Generic_	Generic_	Generic_	Generic_
	provided to	PLUS PS					
	all	v2.00	v2.00	v2.00	v2.00	v2.00	v2.00
	workstation						

			ı	I			1
	users to						
	enable						
	functional						
	connectivity						
	to each						
	model in						
	each						
	Equipment						
	Segment						
	The name	RUI 3.8					
	and version						
	level of the						
	device						
	management						
	utilities that						
6	is provided						
8	to each						
	of the						
	County						
	Department'						
	S						
	Information						
	Technology						
	(IT) staff						
	members to						
	monitor and						
	control each						
	model in						
	each						
	Equipment						
	Segment						
	The						
	components						
	or						
	parts are						
	considered						
	user-						
	replaceable						
6	for						
9	each model.						
	Further, the						
	approximate						
	aggregate						
	time						
		l .	1	1			

	1		Т	Т	
	involvement				
	to replace				
	these				
	components				
	or				
	parts per				
	unit per				
	month				
	Email				
	notifications				
	will be sent				
	automaticall				
	У				
	to the				
7	designated				
0	COUNTY key				
	operator and				
	the				
	CONTRACTO				
	R's				
	assigned				
	technicians				
	via desktop				
	or mobile				
	device when				
	each of the				
	units are out				
	of paper, out				
	of toner or				
	otherwise				
	require key				
	operator				
	attention				
	The number				
7	of				
1	monochrom				
	e and color				
	impressions				
	that will be				
	billed if a				
	user were to				
1					
	produce a				
	50-page				

letter-size duplex printed document containing five color pages (page 1, 10, 11, 12 and 50)	es .			