

EXHIBIT A-1.3

COPIER / MFD SPECIFICATIONS, MODELS TO BE INSTALLED

The CONTRACTOR shall install Copier/MFDs and related accessories and software with the following specified working functionality and guaranteed minimum volumes for each Segment as listed and described below.

A. COPIER/MFD GENERAL SPECIFICATIONS

Segment	1	2	3	4	5	6
Device Model Numbers	Ricoh IM370 F	Ricoh IM2500	Ricoh IM3500	Ricoh IM5000	Ricoh IM8000	Ricoh IM9000
Technology						
Monochrome copying, printing, scanning & faxing only	Yes Scan (color and b/w)	Yes Scan (color and b/w)	Yes Scan (color and b/w)	Yes Scan (color and b/w)	Yes Scan (color and b/w)	Yes Scan (color and b/w)
Color copying, color printing, color scanning & monochrome faxing	No color Yes faxing	No color Yes faxing	No color Yes faxing	No color Yes faxing	No color Yes faxing	No color Yes faxing
Rated speed	37 ppm	25 ppm	35 ppm	50 ppm	80 ppm	90 ppm
Maximum copy/print size	A4	A3	A3	A3	A3	A3
FCT (First-Copy Time)						
ADF (Automatic Document Feeder)	n/a	available	available	standard	standard	standard

RADF (Reversing Automatic Document Feeder)	standard	available	available	n/a	n/a	n/a
Duplexing (all units and drivers must default to duplex mode for both copying and printing)	yes	yes	Yes	Yes	Yes	yes
Single-position Stapling Finisher	No	yes	Yes	Yes	Yes	yes
Sheet capacity of finisher	n/a	SR3250– 500 sheets	SR3250 – 500 sheets	SR 3250- 500 Sheets SR3260 - 1000sheets SR3280 – 3000sheets	SR4150 3000 sheets SR4160 – 2000sheets	SR4150 3000 sheets SR4160 – 2000sheets
Separate finisher trays/locations for prints, faxes & copies	n/a	yes	Yes	Yes	Yes	yes
Fax Boards	standard	option	option	option	option	option
Scan-to-email (with LDAP authentication)	yes	yes	yes	yes	yes	yes
Scan-to-XMedius Cloud Fax Server	Not standard	Not standard	Not standard	Not standard	Not standard	Not standard
Scan-to-shared folder (SharePoint)	Requires ICE	requires ICE	requires ICE	requires ICE	requires ICE	requires ICE
Secure (passwordprotected) Printing	yes	yes	yes	yes	yes	yes

Console	yes	yes	yes	yes	yes	yes
Number of paper drawers (excluding bypass)	1 -std Upto 4- opt	2- std 2-opt	2- std 2-opt	2- std 2-opt	4 -std LCT opt.	4-std LCT opt.
Total sheet capacity of drawers (excluding bypass)	500 – std 1500 - opt	1100 – std 1100 -- opt	1100 – std 1100 -- opt	1100 – std 1100 -- opt	4200 std	4200 std
Stack-feed bypass	yes	yes	yes	yes	yes	yes
Auto tray-switching	yes	yes	yes	yes	yes	yes
Guaranteed per-unit minimum monochrome volume						
Guaranteed per-unit minimum color volume						
Optional Features	yes	yes	yes	yes	yes	yes